Elektrozubehör

Cable management from E to Z

HEYCO®

a PennEngineering® Company

Elektrozubehör

Cable management from E to Z

70°

1954 — 2024

Dal prodotto al servizio, dalla ricerca alla soluzione, da Elektrozubehör al cliente.

Da 70 anni, insieme, guardiamo al futuro.

I nostri **clienti** sono la migliore testimonianza della nostra **missione**: ogni giorno costruiamo con loro una r**elazione di fiducia**, basata sulle nostre competenze e conoscenze.

Dal **1954** facciamo **scouting** dei migliori prodotti per il **settore elettrotecnico** e, grazie alla nostra expertise tecnica, **accendiamo il potenziale** di ogni progetto.

Unita alla nostra profonda conoscenza delle applicazioni, la **tensione all'innovazione** ci spinge a fornire ogni giorno un servizio sempre più completo e accurato.

Accompagniamo così il cliente dalla **prevendita** al **post-vendita**, con campionature gratuite, stoccaggio in magazzino, supporto degli agenti di vendita, consulenza tecnica, assistenza alla vendita e customer care, per affrontare e risolvere insieme tutte le esigenze di **cable management**.

Da settant'anni, nei nostri prodotti scorre fiducia.

From product to service, from research to solution, from Elektrozubehör to its customers. For 70 years, we have been looking to the future together.

EN Our customers are the ultimate testament to our mission: creating trust-based relationship built upon our expertise and dedication each day.

Since 1954, we have been scouting the best products for the electrotechnical sector and igniting the potential of each project thanks to our technical expertise.

Combined by our profound knowledge of applications, our drive for innovation pushes us to provide an increasingly comprehensive and precise daily service.

We thus accompany the customer from pre-sales to post-sales, offering free sampling, warehouse storage, support from sales agents, technical consultancy, sales assistance and customer care to address and resolve all cable management needs.

Trust has been flowing into our products for seventy years.

Servizi
—Supporto completo, sempre

Scouting dei prodotti

Prodotti innovativi e tecnologicamente avanzati, sicuri e di qualità, provenienti dalle fabbriche dei migliori produttori e selezionati con attenzione dal nostro team tecnico per rispondere alle più diverse esigenze.

Consulenza in prevendita

Supporto tecnico professionale e personalizzato prima dell'acquisto, per guidare il cliente nell'esplorazione di tutte le soluzioni disponibili. Analizziamo le esigenze specifiche di ogni applicazione e offriamo indicazioni per scegliere il prodotto che meglio le soddisfa.

Campionature gratuite

Migliaia di campionature gratuite vengono spedite ogni anno. Per offrire al cliente la possibilità di testare il prodotto di suo interesse prima del suo effettivo acquisto, valutandone direttamente la qualità, le prestazioni e la piena adeguatezza alla propria applicazione.

Stoccaggio in magazzino

Grazie alla disponibilità di ampi spazi riservati allo storage, garantiamo ai nostri clienti che i prodotti e gli accessori più richiesti siano sempre disponibili, riducendo i tempi di attesa e ottimizzando la catena di approvvigionamento. Ai clienti che lo richiedono offriamo anche il servizio di stoccaggio dedicato e customizzato e di produzione di confezionamenti ed etichettature personalizzate.

Assistenza alla vendita

Consulenza approfondita, materiale informativo dettagliato e formazione specializzata per il team di agenti di vendita presso il cliente, allo scopo di abilitarlo a presentare i prodotti con efficacia e rispondere con sicurezza alle richieste degli utenti finali.

Customer Care

Il nostro team del customer care, sia interno che esterno, è sempre a disposizione per risolvere qualsiasi problema, rispondere a richieste tecniche e commerciali e assicurarsi che ogni cliente viva un'esperienza d'acquisto ottimale.

Services —
Full support, always

EN **Product scouting**

Our innovative, technologically advanced, safe and high-quality products originate from top manufacturers' factories and undergo careful selection by our technical team to meet diverse needs.

Pre-sales consulting

We offer professional and personalized technical support prior to purchase, guiding customers through exploring all available solutions. By analyzing the specific needs of each application, we provide guidance to help customers choose the product that best suits their requirements.

Free samples

Thousands of free samples are shipped every year to enable customers to test products of their interest before making a purchase. This allows them to directly evaluate the quality, performance and suitability of the product for their specific applications.

Warehouse storage

Thanks to our large storage capacity, we assure our customers that the most requested products and accessories are consistently in stock, minimizing wait times and optimizing the supply chain. Additionally, upon request we offer customized storage services and can produce personalized packaging and labeling to meet specific needs.

Sales Assistance

We offer comprehensive consulting, detailed informative materials and specialized training for our customers' sales agent team. This equips them with the knowledge and skills needed to effectively present our products and confidently address end-user inquiries.

Customer Care

Our internal and external customer care team is always available to address any issues, respond to technical and commercial requests and ensure that every customer enjoys an optimal purchasing experience.

Heyco Products

- Founded in 1926
- More than 90 years of experience in the development and
  production of plastic injection molding
  and metal components
- Global distribution and logistics centers
- Our goal: To produce and distribute our products
  of the highest quality while achieving the highest
  customer and employee satisfaction.

Production & Development

- State-of-the-art injection moulding machines,
  incl. 2-component injection moulding
- Processing of all common high-tech plastic materials
- Modern and efficient high-speed stamping manufacturing
- In-house design – product development and prototype technology
- In-house, modern and highly equipped Tool-Shop
- Development and production of customized products

Quality – Inspection

- ISO 9001: 2015 certified
- UL listing for all serial parts - REACH - RoHS & WEE - VDE -
  ATEX - DFARS- NEMA
- Complete inspection services and product testing services
  for all qualification requirements.
- State-of-the-art measuring technology, as well as
 recognized test equipment for UL and CSL.

Sales & Service

- Extensive product range
- Global network of sales, service and support operations
- Support in the areas - logistics, project support, after-sales
  service, quality management.
- Technical advice and support - customized special parts
- Free sample service
- Logistics centers in USA, Europe and Asia.

PRODUCT GROUPS

SOLAR POWER COMPONENTS

Solar Cable Management

Cable Gland Multi Hole
Heyco®-Tite Solar Masthead® II
Liquid Tight Cordgrips
Thread: NPT
with integrated Sealing Ring,
UL, CSA, VDE, NEMA Approval

Cable Gland Multi Hole
Heyco®-Tite Solar Masthead® Metal
Liquid Tight Cordgrips
Thread: NPT
UL, NEMA Approval

Heyco®-Tite UL Listed/Recognized
and CSA Certified
Liquid Tight Cordgrips Solar Applications
Thread: NPT
with integrated Sealing Ring,
UL, CSA, VDE, NEMA Approval

Heyco®-Tite Liquid Tight Cordgrips
Enphase Q Cables
Thread: NPT
with integrated Sealing Ring,
UL, CSA, VDE, Approval

Heyco® Helios® UVX Cable Clip – Blind Mount
Mounting Hole ø 6,6mm
UL, Approval

Heyco® HEYClip™ SunRunner® Cable Clip
Material Thickness 1,4 – 6,4mm
UL-Approval

HEYClip™ SunRunner® 4 Cable Clip
Material Thickness 1,4 – 6,4mm
UL-Approval

HEYClip™ SunRunner® 90° Cable Clip
Material Thickness 1,4 – 3,2mm
UL-Approval

HEYClip™ Stainless Steel SunRunner® 4-2
and 4-2U Cable Clips
Material Thickness 2,0 – 6,4mm
UL-Approval

HEYClip™ Stainless Steel
SunRunner® 2-S Series Cable Clips
Material Thickness 1,3 – 6,4mm
UL-Approval

HEYClip™ SunRunner® CT Cable Tie
Mounting Platforms
Material Thickness 1,5 – 6,4mm
UL-Approval

HEYClip™ Stainless Steel
SunRunner® 2 Series
Cable Clips Micro-Inverter Cables
Material Thickness 2,0 – 9,7mm

HEYClip™ Nylon UVX* SunRunner® 2 Series
Cable Clips Micro-Inverter Cables
Material Thickness 2,0 – 9,7mm
UL-Approval

Sun Runner Cable Clips – Overview

Heyco® Vinyl Coated Spring Clamps

HEYClip™ MaxRunner® Cable Clip Arrays - Clip Mount
12 Cable ø 5,2 – 7,2mm
Material Thickness 1,5 – 6,4mm
UL-Approval UL 94-V0

HEYClip™ MaxRunner® Cable Clip Arrays -
Flush Mount
12 Cabel ø 5,2 – 7,2mm
with Hole ø 4,8mm
UL-Approval UL 94-V0

Heyco® Nytyes
with Stainless Steel Locking Device
UL-Approval

Heyco® Heavy Duty
Stainless Steel Wire Cable Ties
UL-Approval

Heyco® Stainless Steel Cable Ties –
Regular and PVC Coated, AISI 304 & 316

Heyco® Nytye® Nylon 66 Cable Tie
UL-Approval

Heyco® Nytye® Nylon 12 Cable Tie
UL-Approval

Heyco® Nytye® Nylon 66 H
eavy Duty Cable Ties
UL-Approval

Heyco® Nytye®
Double Loop Cable Ties
UL-Approval

Heyco® Nytye®
Push Mount Nylon Cable Ties
Mounting Hole ø 4,7 – 6,4mm
UL-Approval

Heyco® Nytye®
Push Mount Nylon Cable Ties
Mounting Hole ø 4,0 – 5,0mm
UL-Approval

Heyco® Nytye®
Push Mount Nylon Cable Ties
Mounting Hole ø 6,0 – 6,5mm
UL-Approval

Heyco® Nytye®
Push Mount Nylon Cable Ties
Mounting Hole ø 4,5 – 7,0mm
UL-Approval

Heyco® Nytye®
Push Mount Nylon Cable Ties
Mounting Hole ø 6,4mm
UL-Approval

Heyco® Nytye®
Low Profile Nylon Cable Ties
UL-Approval

Heyco® Nytye® Low Profile Nylon Cable Ties
UL-Approval

Heyco® Nytye® Screw Mount Nylon Cable Ties
With Hole ø 2,9 – 4,2mm
UL-Approval

Heyco® Nytye® Identification Nylon Cable Ties
UL-Approval

Heyco® Flat Nytye® Mounting Platforms
Adhesive-Back and Screw Mount
With Hole ø 3,5 – 4,0mm
UL-Approval

Heyco® Flat Nytye® Mounting Platforms
Adhesive-Back and Screw Mount
With Hole ø 2,9 – 4,8mm
UL-Approval

Heyco® Push Mount Nytye®
Mounting Platforms
Mounting Hole ø 4,8– 7,9mm
UL-Approval

Heyco® Snap Over Bolt Nytye®
Mounting Platforms
Standoff Thread M5– M16
UL-Approval

Heyco® Stainless Steel Edge Clip Nytye®
Mounting Platforms
Material Thickness 1,5 - 6,4mm
UL-Approval

Heyco® Beaded Ties
UL-Approval

Heyco® Mounting Platforms Beaded Ties
Adhesive-Back and Screw Mount
With Hole ø 3,8mm
UL-Approval

Heyco® Cable Tie Tensioning Tool

Heyco® Braided Sleeving
UL-Approval

Heyco® Hose and Cable Wrap - Polyethylene
Standard
UL-Approval

Heyco® Hose and Cable Wrap – Nylon
Standard
UL-Approval

Heyco-Flex™ V Nylon Slit Tubing
UL-Approval

Grounding and Screening Solutions

Heyco® Copper and Aluminium LugRunners™
UL-Approval

Heyco® SunJumpers
With Hole ø 6,3mm
UL-Approval

Heyco® SunStars™
Grounding Spacers Module
to Rack Applications
with Hole ø 8,1mm
UL-Approval

Heyco® SunClamp™
Stainless Steel Cable Clamps

Heyco® Cushion Clamps

Heyco® SunScreener® Wire Mesh Clip

Heyco® SunScreen ™ Wire Mash

Nylon Corrugated Tubing & Fittings

Tubing
Nylon UL 94V-0 / Halogen Free
Heyco Flex™ III 94V-0 Liquid Tight Tubing
UL Approval

Heyco® Female Threaded Couplings
Thread NPT

Heyco-Flex™ III Liquid Tight Fittings
Straight-Thru, Snap-In and NPT Hubs
Thread NPT
UL Approval

Heyco-Flex™ III Liquid Tight Fittings
90° Sweep, NPT Hubs, Thread NPT
UL Approval

Heyco® Nylon Conduit Fittings - Straight-Thru
Thread NPT und Metric
UL Approval

Heyco® Nylon Conduit Fittings – 90°
Thread NPT und Metric
UL Approval

Heyco® Nylon Corrugated
Conduit/Tubing - HPAS Series
UL Approval

Heyco® Nylon Corrugated Conduit/Tubing
Mounting Clips
Thread NPT und Metric
UL Approval

Heyco® Nylon
Corrugated Conduit/Tubing Unions

Flexible, PVC Liquid Tight Electrical Conduit, Tubing and Fittings

Heyco-Flex™ I Liquid Tight Conduit
UL, CSA Approval

Heyco® Female Threaded Adapter
Thread NPT

Heyco-Flex™ II Liquid Tight Tubing
UL, CSA Approval

Heyco® Nylon Conduit Fittings -
Straight-Thru
Thread NPT und Metric
UL, CSA Approval

Heyco® Nylon Conduit Fittings - Straight-Thru
Mounting Hole ø 12,7 – 34,9mm
UL, CSA Approval

Heyco® Nylon Conduit Fittings 90
Thread NPT
UL, CSA Approval

Heyco-Flex™ Metallic Liquid Tight
Conduit Fittings
Thread NPT
UL Approval

Heyco-Flex™ Metallic Liquid Tight 90°
Conduit Fittings
Thread NPT
UL Approval

Heyco-Flex™ Quick Twist Conduit Fittings
SNAP-IN
Thread NPT /
Mounting Holes ø 13,7 – 28,2mm
UL Approval

Heyco-Flex™ Quick Twist
Finishing Collars
Thread NPT
UL Approval

Heyco-Flex™ Quick Twist Conduit Fittings
SNAP-IN 90°
Thread NPT /
Mounting Holes ø 22,2 – 28,2mm
UL Approval

Heyco® Quick Twist
UL Approval

Flexible, Metal Liquid Tight Electrical Conduit (LFMC) and Fittings

Heyco-Flex™ VI Liquid Tight Conduit
UL, CSA Approval

Heyco-Flex™ Metallic Liquid Tight
Conduit Fittings
Thread NPT
UL Approval

Heyco-Flex™ Metallic Liquid Tight 90°
Conduit Fittings
Thread NPT
UL Approval

Locknuts

Heyco® Stamped Die-Cast Locknut
NPT Thread

Heyco® Locknut
NPT Thread

Heyco® Locknut
Metric Thread

Heyco® Locknut Nylon
NPT Thread

Heyco® Locknut, Nylon
PG Thread

Heyco® Locknut Nylon
Metric Thread

Heyco® EMC Locknut
Thread: PG, Metric
UL Approval

HEYClean® Drain Plug Locknuts
Metric Thread

Accessories

Heyco-Flex™ Mounting Brackets
UL Approval

Heyco® Sealing Washers

Heyco® Retaining Sealing Washers

Heyco® Foam Washers

Heyco® Thermoplastic Rubber O-Rings

Liquid Tight Plastic Cable Glands

Cable Gland
Heyco® Tite Liquid Tight Cordgrips
NPT Threat
Integrated Sealing ring
UL, CSA, NEMA Approval

Cable Gland
Heyco® Tite Liquid Tight Cordgrips,
Integrated Sealing ring
UL, CSA, NEMA Approval

Cable Gland
Heyco® Tite Liquid Tight Cordgrips,
PG Threat
Integrated Sealing ring
UL, CSA, NEMA Approval

Cable Gland
Heyco® Tite Liquid Tight Cordgrips
Metric Threat
Integrated Sealing ring
UL, CSA, VDE, NEMA Approval

Cable Gland Kink Protection,
Heyco® Tite Liquid Tight Cordgrips,
NPT Threat
Integrated Sealing ring
UL, CSA, NEMA Approval

Cable Gland Kink Protection,
Heyco® Tite Liquid Tight Cordgrips,
PG Threat
Integrated Sealing ring
UL, CSA, NEMA Approval

Cable Gland Kink Protection,
Heyco® Tite Liquid Tight Cordgrips,
Metric Threat
Integrated Sealing ring
UL, CSA, VDE, NEMA Approval

Cable Gland Right Angle,
Heyco® Tite Liquid Tight Cordgrips,
NPT Threat
Integrated Sealing ring
UL, CSA, NEMA Approval

Cable Gland Right Angle,
Heyco® Tite Liquid Tight Cordgrips,
PG Threat
Integrated Sealing ring
UL, CSA, NEMA Approval

Cable Gland Right Angle,
Heyco® Tite Liquid Tight Cordgrips,
Metric Threat
Integrated Sealing ring
UL, CSA, VDE, NEMA Approval

Cable Gland SNAP-IN Version
Heyco® Tite Liquid Tight Cordgrips
UL, CSA, NEMA Approval

Cable Gland
SNAP-IN Version, Kink Protection,
Heyco® Tite Liquid Tight Cordgrips
UL, CSA, NEMA Approval

Cable Gland Multi Hole
Heyco® Tite Liquid Tight Cordgrips
for Multi Hole Application
Cable ø 1,4 – 4,0 mm
Threat: NPT, PG, Metric
UL, CSA, VDE, NEMA Approval

Cable Gland Multi Hole
Heyco® Tite Liquid Tight Cordgrips
for Multihole Application
Cable ø 4,2 – 9,5 mm
Threat: NPT, PG, Metric
Integrated Sealing ring,
UL, CSA, VDE, NEMA Approval

Cable Gland Multi Hole
Membrane
Heyco® Tite Liquid Tight Cordgrips
for Multihole Application
Threat: NPT
Integrated Sealing ring,
UL, CSA, VDE, NEMA Approval

Cable Gland
Romex / Flat Cable
Heyco® Tite Liquid Tight Cordgrips
NPT Threat
Integrated Sealing ring
UL, CSA, NEMA Approval

Cable Gland
Halogen Free- UL V-0
Heyco® Tite Liquid Tight Cordgrips
NPT Threat
Integrated Sealing ring
UL, CSA, NEMA Approval

Cable Gland
Halogen Free - UL V-0
Heyco® Tite Liquid Tight Cordgrips,
Threat: PG, Metric
Integrated Sealing ring
UL, CSA, VDE, NEMA Approval

Cable Gland
Heyco® Original Series-35
Tite Liquid Tight Cordgrips
NPT Threat
Integrated Sealing ring
UL, CSA, NEMA Approval

Cable Gland
Heyco® Original Series-35
Tite Liquid Tight Cordgrips
Threat: PG, Metric
Integrated Sealing ring
UL, CSA, VDE, NEMA Approval

Cable Gland Kink Protection
Heyco® Original Series-35
Tite Liquid Tight Cordgrips
NPT Threat
Integrated Sealing ring
UL, CSA, NEMA Approval

Cable Gland Kink Protection
Heyco® Original Series-35
Tite Liquid Tight Cordgrips
PG Threat
Integrated Sealing ring
UL, CSA, NEMA Approval

Cable Gland Stainless Steel

Cable Gland
HEYbrid ™ Stainless Steel
Tite Liquid Tight Cordgrips
NPT Threat
Self-retaining sealing ring
UL, CSA, NEMA Approval

Cable Gland
HEYbrid ™ Stainless Steel
Tite Liquid Tight Cordgrips
PG Threat
Self-retaining sealing ring
UL, CSA, NEMA Approval

Cable Gland
HEYbrid ™ Stainless Steel
Tite Liquid Tight Cordgrips
Metric Threat
Self-retaining sealing ring
UL, CSA, NEMA Approval

Cable Gland Stainless Steel for Hazardous Locations

Cable Gland
HEYbrid ™ Stainless Steel
Liquid-Tight Cable Gland
NPT Threat
UL, ATEX, IECE, CSA, CE Approval

Cable Gland Plated Steel

Cable Gland Plated Steel
HEYbrid ™ Plated Steel
Liquid-Tight Cable Gland
NPT Threat
Self-retaining sealing ring
UL, NEMA Approval

Cable Gland Plated Steel
HEYbrid ™ Plated Steel
Liquid-Tight Cable Gland
NPT Threat

Cable Gland Aluminium

Heyco® Aluminium Cable Gland
Torque Chart

Cable Gland Aluminium
Heyco® Tite Liquid Tight Cordgrips
NPT Threat ¼ bis ½
Self-retaining sealing ring
UL, CSA Approval

Cable Gland Aluminium
Heyco® Tite Liquid Tight Cordgrips
NPT Threat ¾ bis 1-¼
Self-retaining sealing ring
UL, CSA Approval

Cable Gland Aluminium
Heyco®-Tite Liquid Tight Cordgrips
NPT Threat 1-½ bis 2
Self-retaining sealing ring
UL, CSA Approval

Cable Gland Aluminium
Heyco® Tite Liquid Tight Cordgrips
NPT Threat 2-½ bis 3
Self-retaining sealing ring
UL, CSA Approval

Cable Gland Aluminium
Heyco® Tite Liquid Tight Cordgrips
NPT Threat
Self-retaining sealing ring
UL, NEMA Approval

Cable Gland Aluminium
Right Angle
Heyco® Tite Liquid Tight Cordgrips
NPT Threat
Self-retaining sealing ring
UL, CSA Approval

Cable Gland Nickel Plated Brass

Cable Gland Nickel Plated Brass
Heyco® Tite Liquid Tight Cordgrips
NPT Threat
UL, Approval

Cable Gland Nickel Plated Brass
Heyco® Tite Liquid Tight Cordgrips
PG Threat
UL, Approval

Cable Gland Nickel Plated Brass
Heyco® Tite Liquid Tight Cordgrips
Metric Threat
UL, Approval

Cable Gland Nickel Plated Brass
Heyco® C
Metric Threat
UL, Approval
ATEX, IECE Approval

Threaded Hole Plug Nickel Plated Brass
Heyco® Tite Locking Plugs
Metric Threat
ATEX, IECE Approval

Cable Gland Nickel Plated Brass
HEYbrid ™ Tite Liquid Tight Cordgrips
NPT Threat
Self-retaining sealing ring
UL, CSA, NEMA Approval

Cable Gland Nickel Plated Brass
HEYbrid ™ Tite Liquid Tight Cordgrips
PG Threat
Self-retaining sealing ring
UL, CSA, NEMA Approval

Cable Gland Nickel Plated Brass
HEYbrid ™ Tite Liquid Tight Cordgrips
Metric Threat
Self-retaining sealing ring
UL, CSA, NEMA Approval

Cable Gland Nickel Plated Brass
Heyco® Tite Liquid-Tight Clamping
Cordgrips
Metric Threat
VDE Approval

Cable Gland EMC Nickel Plated Brass
HEYbrid ™ Tite EMC Liquid Tight Cordgrips
PG Threat
UL Approval

Cable Gland EMC Nickel Plated Brass
HEYbrid ™ Tite EMC Liquid Tight Cordgrips
Metric Threat
UL Approval

Cable Gland EMC Nickel Plated Brass
HEYbrid ™ Tite EMC Liquid Tight Cordgrips
Metric Threat
UL Approval

Locking Nut EMC Nickel Plated Brass
Heyco® Tite EMC Locknuts
Threat: PG, Metric
UL Approval

Cable Gland Nickel Plated Brass
EPDM Kink Protection
Heyco®-Tite Brass Lazy Bend Liquid Tight Cordgrips
Metric Threat

Cable Gland Nickel Plated Brass
Heyco®-Tite Brass Profile
Liquid Tight Cordgrips
Metric Threat

Heyco® Cable Gland
Nickel Plated Brass
Torque Chart

Locking Nuts

Locking Nut Plated Steel
Gestanzt
Heyco® Stamped Die-Cast Locknut
NPT Threat

Locking Nut Nickel Plated Brass
Heyco® Locknut
NPT Threat

Locking Nut Nickel Plated Brass
Heyco® Locknut
Metric Threat

Locking Nut Nylon
Heyco® Locknut
NPT Threat

Locking Nut Nylon
Heyco® Locknut
PG Threat

Locking Nut Nylon
Heyco® Locknut
Metric Threat

Locking Nut EMC Nickel Plated Brass
Heyco® EMC Locknut
Threat: PG, Metric
UL Approval

Locking Nut Nickel Plated Brass
HEYClean® Drain Plug Locknuts
Metric Threat

Accessories

Washer SBR Copolymer
Heyco® Self Retaining Sealing Washers

TPE Hole Plug
Heyco® TPE Liquid Tight Hole Plugs
UL, CSA Approval

Hole Plug
HEYCo-molded™ Liquid Tight
Break-Thru Plugs IP 67/68
UL Approval

Threaded Hole Plug
Heyco® Nylon Liquid Tight Threaded Plugs
Liquid Tight
Threat: NPT, PG, Metric
Integrated Sealing ring
UL, NEMA Approval

Threaded Hole Plug
Heyco® Nylon Threaded Plugs
PG Threat

Threaded Hole Plug
Heyco® Nylon Threaded Plugs
Metric Threat

Threaded Hole Plug
Nickel Plated Brass
Heyco® Threaded Plugs
Threat: PG, Metric

Hole Vent Plug
HEYClean™ Liquid Tight Threaded Vent Plugs
with Integral Sealing Ring and Liquid Tight Filter
Threat: NPT, PG, Metric
UL, NEMA Approval

Hole Vent Plug Snap-In
HEYClean™ Liquid Tight
Snap-In Vent Plugs
UL, NEMA Approval

Pressure Equalization– Hole Plug
Nickel Plated Brass
HEYClean® Brass Pressure
Equalization and Drain Plugs
Metric Threat

Heyco® Liquid Tight Cordgrips LabKit
(Part #3297)

SNAP-IN Cable Gland

Cable Gland, SNAP-IN
Heyco® Tite Liquid Tight Cordgrips
UL, CSA, NEMA Approval

Cable Gland, SNAP-IN
With Kink Protection
Heyco® Tite Liquid Tight Cordgrips
UL, CSA, NEMA Approval

Cable Lockit Strain Relief Pre-Assembly

Heyco® ST Lockit™ Strain Relief Bushings
Round Cable
UL, CSA Approval

Heyco® ST Lockit™ Strain Relief Bushings
Flat Cable
UL, CSA Approval

Heyco® RDD Lockit™
Strain Relief Bushings - Straight-Thru
Round Cable / Double-D Mounting Hole
UL, CSA Approval

Heyco® RDD Lockit™
Strain Relief Bushings - Straight-Thru
UL, CSA Approval

Heyco® RDD Lockit™ Strain Relief Bushings - Straight-Thru
UL, CSA Approval

Heyco® RDD Lockit™
Strain Relief Bushings - Straight-Thru
UL, CSA Approval

Heyco® RDD Lockit™
Strain Relief Bushings - Straight-Thru
Flat Cable / Double D Mounting Hole
UL, CSA Approval

Heyco® RDD Lockit™ Strain Relief
Bushings - Pigtail™ with King Protection
UL, CSA Approval

Heyco® RDD Lockit™ Strain Relief
Round Cable, Bushings - Right Angle
UL, CSA Approval

Heyco® RDD Lockit™ Strain Relief
Flat Cable, Bushings - Right Angle
UL, CSA Approval

Heyco® Original – Strain Relief

Heyco® Original Strain Relief Bushings
Flat Cable
Mounting Hole ø 9,5 – 12,7mm
UL, CSA Approval

Heyco® Original Strain Relief Bushings
Flat Cables
Mounting Hole ø 14,2 – 22,2mm
UL, CSA Approval

Heyco® Original Strain Relief Bushings
Round Cables
Mounting Hole ø 14,2 – 22,2mm
UL, CSA Approval

Heyco® Original Strain Relief Bushings
Round Cables
Mounting Hole ø 15,9 – 19,0mm
UL, CSA Approval

Heyco® Original Strain Relief Bushings
Round Cables
Mounting Hole ø 22,2 – 30,1mm
UL, CSA Approval

Heyco® Original Strain Relief Bushings
Flat Cables
Mounting Hole ø 12,7mm
UL, CSA Approval

Heyco® Original Strain Relief Bushings
Flat and Round cables
Mounting Hole ø 12,7mm
UL, CSA Approval

Heyco® Original Strain Relief Bushings
With Kink Protection, Round and Flat Cables
Mounting Hole ø 12,7 – 19,8mm
UL, CSA Approval

Heyco® Original Strain Relief Bushings 90°
Round Cables
Mounting Hole ø 12,7 – 19,8mm
UL, CSA Approval

Heyco® Original Strain Relief Bushings 90°
Flat Cables
Mounting Hole ø 11,1 – 28,0mm
UL, CSA Approval

Original Assembly Equipment and Tools

Heyco® Original Strain Relief
Bushing Assembly Pliers
Instructions and Spare Parts

Heyco® Original Strain Relief
Instructions

Heyco® Original Strain Relief
Bushing Air Tool, Air Tool
Jaws & Replacement Parts

Heyco® Strain Relief
Mounting Hole Punches

Cable Strain Relief Special

Heyco® Snap-In Universal Strain Relief Bushings
Mounting Hole ø 22,2mm
UL, CSA Approval

Heyco® Snap-In Romex®
Strain Relief Bushing*
Mounting Hole ø 22,2mm
UL, CSA Approval

Heyco® Nylon Removable Snap-In
Ratcheting Strain Reliefs
Mounting Hole ø 22,2 – 28,2mm
UL, CSA Approval

Heyco® Metal Strain Relief Bushings

Heyco® Attaching Pliers for
Metal Strain Reliefs

Heyco® Multi-Lockit™
Strain Relief Bushing
UL, CSA Approval

Heyco® ST Lockit™ Strain Relief Bushing U-Shape Slot
UL, CSA Approval

Heyco® Split Panel Strain Relief Bushings
UL, CSA Approval

Heyco® In-Line Strain Relief Bushing
UL, CSA Approval

Heyco® Strain Relief Bushings LabKit

Heyco® Euro Strain Relief Bushings
UL, CSA Approval

Heyco® T-Bar

Box Connectors

Heyco® Brass Clamping Strain Reliefs
Thread PG, Metric

Heyco® Zinc Die-Cast Box Connectors
UL, CSA Approval

Accessories

Heyco® Knock-Out Adapters Strain Relief Bushings

Heyco® Plugs
(pls. see Heyco Bushings & Plugs Product Range)

Vent, Liquid Tight Vent and Louvered Plugs

Vent-Plug SNAP-IN
Nylon
Heyco® Vent Plugs and Thick Panel Vent Plugs
Mounting Hole ø 12,7 – 101,6mm
UL, CSA Approval

Vent-Plug with Filter Insert
SNAP-IN
Nylon
HEYClean™ Filter Insert Vent Plugs
Mounting Hole ø 12,7 – 76,2mm

Vent-Plug SNAP-IN,
Nylon
Heyco® Louvered Plugs
Mounting Hole ø 22,2 – 76,2mm
UL Approval

Vent-Plug with Filter Insert
SNAP-IN,
Nylon
Heyco® Louvered Plugs
Mounting Hole ø 22,2 – 76,2mm
UL Approval

Heyco®
Threaded Vent Plugs
Nylon
Thread, NPT, PG, metric
UL Approval

HEYClean™
Liquid Tight Threaded Vent Plugs
Thread , NPT, PG, metric
UL Approval

Vent-Plug SNAP-IN, Liquid Tight
Nylon with Acryl-Copolymer Filter
HEYClean™ Liquid Tight Snap-In Vent Plugs
Mounting Hole ø 12,7 – 28,6mm
UL Approval

Pressure Equalization & Drain Plugs

HEYClean® Brass Pressure Equalization and Drain Plugs
Metric Thread

HEYClean® Drain Plug Locknuts
Metric Thread

Fan Guards, Rivets & Mounts

Heyco® Fan Guards

HEYClip™ Snap Rivets
Nylon
UL-Approval

Heyco® Fan Mounts
EPDM

Terminal Bushings

Terminal Bushings SNAP-IN
Polycarbonate
HEYConnect™ Terminal Bushings
UL Approval

Bushings

Bushing, SNAP-IN
Nylon
Heyco® Snap Bushings
Mounting Hole ø 6, 4 – 22,2mm
UL, CSA Approval

Bushing, SNAP-IN
Nylon
Heyco® Snap Bushings
Mounting Hole ø 25,4 – 63,5mm
UL, CSA Approval

Bushing, SNAP-IN
Nylon
Heyco® Snap Bushings
Mounting Hole ø 76,2 – 152,4mm
UL, CSA Approval

Bushing, SNAP-IN
Nylon
Heyco® Snap Bushings
Mounting Hole ø metric 13,0 – 34,2mm
UL, CSA Approval

Bushing, SNAP-IN
Nylon
Heyco® Pry Out Bushings
Mounting Hole ø 9,5 – 34,9mm

Bushing, SNAP-IN
Nylon
Heyco® Knock-Out Snap Bushings
Mounting Hole ø 22,2 – 50,8mm
UL, CSA Approval

Bushing, SNAP-IN
for Material Thickness to 6,4mm
Nylon
Heyco® Thick Panel Snap Bushings
Mounting Hole ø 9,5 – 50,8mm
UL, CSA Approval

Bushing, SNAP-IN
for Material Thickness to 1,6mm
Nylon
Heyco® Thin Panel Snap Bushings
Mounting Hole ø 5,5 – 22,2mm
UL, CSA Approval

Bushing, SNAP-IN
for Material Thickness to 1,6mm, short Version
Nylon
Heyco® Shorty Bushings
Mounting Hole ø 4,7 – 27,8mm
UL, CSA Approval

Bushing SNAP-IN
Nylon
Heyco® Shorty Bushings
Mounting Hole ø 9,5 – 22,2mm
UL, CSA Approval

Heyco® O-Ring

Bushing, SNAP-IN
Universal Version
Nylon
Heyco® Universal Bushings
Mounting Hole ø 12,7 – 76,2mm
UL, CSA Approval

Bushing, SNAP-IN
Universal Version
Nylon
Heyco® Universal Bushings
Mounting Hole ø 12,7 – 27,8mm
UL, CSA Approval

Bushing, SNAP-IN
Universal Version
Nylon
Heyco® Universal Bushings
Mounting Hole ø 12,7 – 38,1mm
UL, CSA Approval

Bushing, SNAP-IN
open Version, Universal
Nylon
Heyco® Open/Closed Universal Bushings
Mounting Hole ø 4,7 – 50,8mm
UL, CSA Approval

Bushing, SNAP-IN
Open Version, Universal
Nylon
Heyco® Open/Closed Universal Bushings
Mounting Hole ø 9,5 – 63,5mm
UL, CSA Approval

Bushing, SNAP-IN
short open Version, Universal
Nylon
Heyco® Open/Closed Shorty Bushings
Mounting Hole ø 7,0 – 27,0mm
UL, CSA Approval

Bushing
open Version
Polyethylene
Heyco® Armor Bushings
UL, CSA Approval

Bushing, with Thread
Nylon
Heyco® Threaded Smooth Bore Bushings
Thread NPT
UL Approval

Bushing, SNAP-IN
Nylon
Heyco® Snap-In Smooth Bore Bushings
Mounting Hole ø 12,7 – 27,8mm
UL, CSA Approval

Liquid Tight Bushings

Liquid Tight Bushing
Nylon / TPE
HEYCo-molded™ Liquid Tight Break-Thru Plugs
Mounting Hole ø 12,7 – 38,1mm
UL Approval

Liquid Tight Bushing
EPDM Material
Heyco® EPDM Snap-in Liquid Tight Bushings
Mounting Hole ø 12,5 – 50,2mm
UL Approval

Grommets

Grommet
Thermoplastic elastomers
Heyco® UL Recognized Thermoplastic
Rubber Grommets
Mounting Hole ø 9,5 – 50,8mm
UL Approval

Grommet
Thermoplastic elastomers
Heyco® UL Recognized Thermoplastic
Rubber Grommets
Mounting Hole ø 12,7 – 31,8mm
UL Approval

Grommet
Material EPDM, SBR, Isoprene
Heyco® Rubber Grommets
Mounting Hole ø 6,4 – 38,1mm
Material Thickness to1,6mm

Grommet
Material EPDM, SBR
Heyco® Rubber Grommets
Mounting Hole ø 7,1 – 63,5mm
Material Thickness 1,6 – 3,2mm

Grommet
Material EPDM, SBR, PVC
Heyco® Rubber Grommets
Mounting Hole ø 7,9 – 63,5mm
Material Thickness 3,2 – 4,8mm

Grommet
Material SBR, Neoprene
Heyco® Rubber Grommets
Mounting Hole ø 7,9 – 63,5mm
Material Thickness 6,4 – 9,5mm

Grommet Rolls & Channels

Grommets Rolls
Polyethylene, Reel 30,5m (100 feet)
Heyco® Continuous Grommet Rolls

Grommets Rolls
Nylon, Reel 30,5m (100 feet)
Heyco® Continuous Grommet Rolls

Grommets Rolls
Nylon, length 1220mm
or Reel 30,5m (100 feet)
Heyco® Continuous Grommet

Grommets Rolls
Polystyrene, length 1220mm
Heyco® Continuous Grommet

Finishing Plugs

Finishing Plug
SNAP-IN
Nylon
Heyco® Dome Plugs
Mounting Hole ø 4,7 – 63,5mm
UL, CSA Approval

Finishing Plug
SNAP-IN, für Material Thickness to 6,4mm
Nylon
Heyco® Dome Plugs
Mounting Hole ø 76,2 – 152,4mm
UL, CSA Approval

Finishing Plug
SNAP-IN, for Material Thickness to 6,4mm
Nylon
Heyco® Dome Plugs
Mounting Hole ø 9,5 – 50,8mm
UL, CSA Approval

Finishing Plug
SNAP-IN, short Version
Nylon
Heyco® Dome Plugs
Mounting Hole ø 4,7 – 27,8mm
UL, CSA Approval

Finishing Plug SNAP-IN
Material Thickness to 1,6mm
Nylon
Heyco® Dome Plugs
Mounting Hole ø 5,5 – 22,2mm
UL, CSA Approval

Overview
short Version / thin Material

Finishing Plug
SNAP-IN,
Nylon
Heyco® Halogen and Phosphorus-Free 94V-0 Hole Plugs
Mounting Hole ø 4,7 – 50,8mm
UL, CSA Approval

Finishing Plug
SNAP-IN, special Version
Nylon
Heyco® Extra Dome Plugs
Mounting Hole ø 76,2 – 127,0mm
UL Approval

Finishing Plug
SNAP-IN, metric Version
Nylon
Heyco® Snap-In Metric Dome Plugs
Mounting Hole ø 13,0 – 34,2mm
UL, CSA Approval

Finishing Plug
SNAP-IN, for Material Thickness to 3,2mm
Nylon
Heyco® Glossy and Thick Panel Glossy Plugs
Mounting Hole ø 4,7 – 50,8mm
UL, CSA Approval

Finishing Plug
Nylon
Heyco® Pry Out Plugs
Mounting Hole ø 6,4 – 63,5mm
UL, CSA Approval

Finishing Plug
Nylon
Heyco® Pry Out Plugs
Mounting Hole ø 4,7 – 9,5mm
UL, Approval

Finishing Plug
Thermoplastic Elastomer, UV stable
Heyco® Metric Ergonomic Plugs
Mounting Hole ø 14,5 – 34,0mm

Finishing Plug
Non Material Thickness
Nylon
Heyco® Installation Plug
Mounting Hole ø 25,4mm
UL Approval

Finishing Plug
for Double-D Hole, Material Thickness to3,2mm
Nylon
Heyco® Double D Hole Plug
UL, CSA Approval

Finishing Plug
Material Thickness to 3,2mm
Nylon
Heyco® Rectangular
Blanking & Connector Port Plugs
UL Approval

BUSHINGS, GROMMETS, HEYCAPS & PLUGS

Windows Plugs

transparent Bushing, SNAP-IN
Polycarbonate,
Heyco® Window „View Port" Plugs
Mounting Hole ø 4,7 – 50,8 mm
UL Approval

transparent-matte Finishing Plug
SNAP-IN
Polycarbonate,
Heyco® Window „View Port" Plugs
Mounting Hole ø 9,5 – 50,8mm
UL Approval

transparent Finishing Plug
SNAP-IN, short Version
Polycarbonate
Heyco® Shorty Window „View Port" Plugs
Mounting Hole ø 13,0 – 25,7mm
UL Approval

transparente Finishing Plug
SNAP-IN, short Version
Polycarbonate
Heyco® Oval Window „View Port" Plugs
UL Approval

Knock-out Seals

Finishing Plug
for Material Thickness 3,2 to6,4mm
Nylon
Heyco® Knock-Out Seals and
Thick Panel Knock-Out Seals
Mounting Hole ø 22,8 – 63,5mm
UL, CSA Approval

Finishing Plug
for Material Thickness 3,2 to 6,4mm
Nylon, UL 94 V-0
Heyco® Knock-Out Seals and Thick Panel Knock-Out Seals
Mounting Hole ø 22,8 – 63,5mm
UL, CSA Approval

Liquid Tight Plugs

Finishing Plug
TPE 85 Shore, UL 94 V-0
Heyco® V-0 Liquid Tight Hole Plugs
Mounting Hole ø 12,7 – 34,9mm
UL, CSA Approval

Finishing Plug
TPE 75 Shore, UL 94 V-0
Heyco® V-0 Liquid Tight Hole Plugs
Mounting Hole ø 22,2 – 34,9mm
UL, CSA Approval

Liquid Tight Threaded Plugs
Heyco® Nylon Liquid Tight Threaded Plugs
Liquid Tight
Thread: NPT, PG, metric
UL, NEMA Approval

Liquid Tight Bushing
Nylon / TPE
HEYCo-molded™ Liquid Tight Break-Thru Plugs
Mounting Hole ø 12,7 – 38,1mm
UL Approval

Electronic Caps and Plugs

D-Subminiatur Plugs
Ethylene Vinyl Acetate (EVA)
HEYCap™ D-Subminiature Protection Caps

D-Sub Plugs
Ethylene Vinyl Acetate (EVA)
HEYCap™ Electro Miniature Protection Caps

D-Sub Plugs
Nylon
Heyco® Nylon
D-Sub miniature Mounting Hole Plugs
UL, CSA Approval

IEC- Plugs
Material LDPE
Heyco® IEC-14 Plug

USB, CP-RJ Plugs
Material Vinyl, LDPE, Silicone Elastomer
Heyco® Connector Caps and Plugs

Threaded Plugs

Threaded Plugs
Nylon, Heyco® PG and Metric Threaded Plugs
Thread: PG, metric
UL Approval

Threaded Plugs
Messing Plated Brass
Heyco® Threaded Plugs
Thread: PG, metric

Threaded Plugs
Material HDPE
Heyco® Plugs for Threaded Ports
Thread: NPT

Threaded Plugs
Material HDPE
Heyco® Plugs for Threaded Ports
Thread: NPS

Threaded Plugs
Material HDPE
Heyco® Plugs for Threaded Ports
Thread: SAE

Threaded Plugs
Material Polycarbonate
Heyco® Plugs for Threaded Ports
Thread: ISO

Plug PUSH-IN
Material Vinyl
Heyco® Push-IN Threaded Lugs
Thread: SAE, NPT

Threaded Plugs
Material Vinyl
Heyco® TEMPlugs™ for NPT Threaded Ports
Thread: SAE, NPT

Tapered Caps and Plugs

Tapered Plugs
Material LDPE
Heyco® Tapered Caps and Plugs

Tapered Plugs
Material LDPE
Heyco® Tapered Caps and Plugs

Sheet Metal Plugs

Finishing Plug
Thermoplastic Elastomer, UV stable
Heyco® Metric Ergonomic Plugs
Material Thickness 0,8 – 2,0mm
Mounting Hole ø 14,5 – 34,0mm

Finishing Plug
Material LDPE
Heyco® LDPE Sheet Metal Plugs -
Recessed Head
Material Thickness 0,5 – 4,6mm
Mounting Hole ø 4,6 – 76,2mm

Finishing Plug
Material LDPE
Heyco® LDPE Sheet Metal Plugs –
Flush Head
Material Thickness 0,5 – 2,8mm
Mounting Hole ø 4,6 – 76,2mm

Tubing Caps and Plugs

Tubing Cap/Plug
Material LDPE
HEYCaps™ for Round Tubing

Tubing Cap/Plug
Material LDPE
HEYCaps™ for Round Tubing

Tubing Cap/Plug
Material LDPE
HEYCaps™ for Square Tubing

Tubing Cap/Plug
Material LDPE
HEYCaps™ for Square Tubing

Tubing Cap/Plug
Material Vinyl
HEYCaps™ for Square Tubing

Tubing Cap/Plug
Material LDPE
HEYCaps™ for Square Tubing

Custom colours

Custom Colours

Custom colours

Accessories

Heyware sample Kit
Different Versions

PCB – Spacer / Hardware

PCB Spacer - SNAP-IN
Heyco® Nylon PCB Support
Mounting Hole ø 4,0-4,8mm
UL-Approval

PCB Spacer - SNAP-IN
Heyco® Nylon PCB Support
Mounting Hole ø 4,0-4,8mm
UL-Approval

PCB Spacer - SNAP-IN
Heyco® Nylon PCB Support
Mounting Hole ø 4,0-4,8mm
UL-Approval

PCB Spacer - SNAP-IN
Heyco® Nylon PCB Support
Mounting Hole ø 4,0-4,8mm
UL-Approval

PCB Spacer - SNAP-IN
Heyco® Nylon PCB Support
Mounting Hole ø 4,0-4,8mm
UL-Approval

PCB Spacer- SNAP-IN
Heyco® Nylon PCB Support
Mounting Hole ø 2,5-4,8mm
UL-Approval

PCB Spacer- SNAP-IN
Heyco® Nylon PCB Support
Mounting Hole ø 3,2-3,9mm
UL-Approval

PCB Spacer- SNAP-IN
Heyco® Nylon PCB Support
Mounting Hole ø 2,0-4,0mm
UL-Approval

Miniature PCB Spacer- SNAP-IN
Metric Spacing
Heyco® Nylon PCB Support
Mounting Hole ø 2,5-3,5mm
UL-Approval

PCB Spacer- SNAP-IN
Metric Spacing
Heyco® Nylon PCB Support
Mounting Hole ø 2,5-4,8mm
UL-Approval

Flat-Head PCB Spacer- SNAP-IN
Heyco® Nylon PCB Support
Mounting Hole ø 3,2-6,0mm
UL-Approval

Flat-Head PCB Spacer- SNAP-IN
Heyco® Nylon PCB Support
Mounting Hole ø 3,2-6,4mm
UL-Approval

Flat-Head PCB Spacer- SNAP-IN
Heyco® Nylon PCB Support
Mounting Hole ø 4,0-6,0mm
UL-Approval

Flat-Head PCB Spacer- SNAP-IN
Metric Spacing
Heyco® Nylon PCB Support
Mounting Hole ø 4,0-5,4mm
UL-Approval

PCB Spacer- SNAP-IN
Heyco® Nylon PCB Support
Blind Mount
Mounting Hole ø 4,0-7,9mm
UL-Approval

PCB Spacer – SNAP-IN
Heyco® Nylon PCB Support
Key-Slot - Blind Mount
Mounting Hole ø 4,0-6,4mm
UL-Approval

Self-Retaining PCB Spacer SNAP-IN
Heyco® Nylon PCB Support
Self Retaining
Mounting Hole ø 4,7-5,9mm
UL-Approval

Self-Retaining PCB Spacer SNAP-IN
Heyco® Nylon PCB Support
Self Retaining
Mounting Hole ø 4,7-5,9mm
UL-Approval

PCB Spacer- SNAP-IN
Heyco® Nylon PCB Support Screw Lock
Mounting Hole ø 4,0mm
UL-Approval

PCB Spacer- SNAP-IN / Thread
Heyco® Nylon PCB Support
Mounting Hole ø 3,2-M3/M4
UL-Approval

PCB Spacer- SNAP-IN / Thread
Heyco® Nylon PCB Support
Mounting Hole ø 4,0-M4
UL-Approval

PCB Spacer SNAP-IN / Thread
Heyco® Nylon PCB Support
Mounting Hole ø 3,9-M3/M4
UL-Approval

PCB Spacer- SNAP-IN / Adhesive
Heyco® Nylon PCB Support
Mounting Hole ø 2,5-4,0mm
UL-Approval

PCB Spacer- SNAP-IN / Adhesive
Heyco® Nylon PCB Support
Mounting Hole ø 4,0mm
UL-Approval

PCB Spacer- SNAP-IN / Rivet Mount
Heyco® Nylon PCB Support
Mounting Hole ø 4,0-4,8mm
UL-Approval

PCB Support SNAP-IN
Edge Holding
Heyco® Nylon PCB Support
Mounting Hole ø 4,0mm
UL-Approval

PCB Support Threaded Version
Heyco® Nylon PCB Support
Thread M3
UL-Approval

PCB Support Threaded
Heyco® Nylon PCB Support
Thread M3/M4/M6
UL-Approval

Nylon Spacer

Heyco® Nylon PCB Support
Inside Hole ø 4,7-6,4-7,9mm

Heyco® Nylon PCB Support
Inside Hole ø 7,9 - 9,5-12,7mm

LED Spacers and Transistor Insulators

LED Spacer
Nylon / PVC Black
Heyco® Nylon LED Spacer

LED Spacer
Nylon / PVC Black
Heyco® Nylon LED Spacer

Heyco® Transistor Insulator

Cable & Wire Management

Heyco® Cable Clamps
UL-Approval

Heyco® Lockit ™ Cable Clamps
UL-Approval

Heyco® Snap Rivet use
with Heyco Nylon Clamps
UL-Approval

Heyco® Cable Clamps
UL-Approval

Heyco® Lockit ™ Hose Clamp
UL-Approval

Heyco® Lockit ™ Hose Clamp
UL-Approval

Heyco® Air Tool

Heyco® Aligning Cable Clamps
UL-Approval

Heyco® Locking Cable Clamp
UL-Approval

Heyco® Compression Cable Clamp, SNAP-IN
Mounting Hole ø 4,0mm
UL-Approval

Heyco® Cable Stays with Adhesive

Heyco® Stainless Steel Cable Clamp

Heyco® Cushion Clamps

Heyco® Vinyl Coated Steel Clamps

Heyco® Vinyl Coated Spring Clamps

HEYClip™ SunRunner®
Material Thickness 1,4 - 2,3mm
Heyco® HEYClip™ SunRunner® Cable Clip
UL-Approval

HEYClip™ SunRunner®
Material Thickness 3,2 – 6,4mm
HEYClip™ SunRunner® Vidrio Cable Clips
UL-Approval

HEYClip™ SunRunner®
Material Thickness 2,3 – 6,4mm
HEYClip™ SunRunner® Cable Clips
UL-Approval

HEYClip™ SunRunner® 4
Material Thickness 1,4 – 3,2mm
HEYClip™ SunRunner® 4 Cable Clip
UL-Approval

HEYClip™ SunRunner® 4
Material Thickness 3,2 – 6,4mm
HEYClip™ SunRunner® 4 Cable Clip
UL-Approval

HEYClip™ SunRunner® 90°
Material Thickness 1,4 – 3,2mm
HEYClip™ SunRunner® 90° Cable Clip
UL-Approval

Heyco® Tension Wire Clip
with Adhesive
UL-Approval

Heyco® Tension Wire Clip – Vinyl U Style

HEYClip™ MaxRunner®Cable Clip Arrays
12 Cable a ø 5,2 – 7,2mm
UL-Approval

HEYClip™ Driller locks
UL-Approval

HEYClip™ Wave locks Arrowhead mount – SNAP-IN
Mounting Hole ø 4,8mm
UL-Approval

HEYClip™ Wave locks with Adhesive
Cable Bundle ø 7,6 – 20,3mm
UL-Approval

HEYClip™ Lockit™ Loops, Standard
Cable Bundle ø 6,4 – 19,1mm
UL-Approval

HEYClip™ Lockit™ Loops with Standoff, SNAP-IN
Cable Bundle ø 6,4 – 25,4mm
Mounting Hole ø 4,0 – 6,4mm
UL-Approval

HEYClip™ Lockit™ Loops
with Standoff Blind Mount, SNAP-IN
Cable Bundle ø 7,0 – 15,0mm
Mounting Hole ø 7,9mm
UL-Approval

HEYClip™ Lockit™ Loops and Clips,
SNAP-IN
Cable Bundle ø 6,4 – 18,5mm
Mounting Hole ø 4,8mm
UL-Approval

HEYClip™ Locking Releasable Wire Clips -
Arrowhead Mount
SNAP-IN
Cable Bundle ø 4,7 – 25,4mm
Mounting Hole ø 6,4mm
UL-Approval

HEYClip™ Locking Releasable Wire Clips –
Instructions

HEYClip™ Locking Releasable Wire Clips –
Adhesive
Cable Bundle ø 4,7 – 38,1mm
UL-Approval

HEYClip™ Locking
Releasable Wire Clips Adjustable
Cable Bundle ø 5,5 – 25,4mm
UL-Approval

HEYClip™ Cable Holder Snap Rivet Mount
Mounting Hole ø 3,7mm
UL-Approval

HEYClip™ Cable Holder SNAP-IN
Mounting Hole ø 4,8mm
UL-Approval

HEYClip™ Cable Holder SNAP-IN
Mounting Hole ø 1,7 – 3,5mm
UL-Approval

HEYClip™ Cable Holder SNAP-IN
Mounting Hole ø 4,8mm
UL-Approval

HEYClip™ Cable Holder Blind Mount
Mounting Hole ø 4,0 – 7,9mm
UL-Approval

HEYClip™ Cable Holder Adhesive Mount
UL-Approval

HEYClip™ Cable Holder SNAP-IN
Mounting Hole ø 4,8mm
UL-Approval

HEYClip™ Round Cable Holder SNAP-IN
Mounting Hole ø 3,1- 6,4mm
UL-Approval

HEYClip™ Lockit™ Cable Holder SNAP-IN
Mounting Hole ø 1,6 - 4,8mm
UL-Approval

HEYClip™ Lockit™ Cable Holder
Adhesive Mount
UL-Approval

HEYClip™ Hinged Edge Cable Holder
UL-Approval

HEYClip™ Edge Cable Holder
UL-Approval

HEYClip™ Edge Cable Holder
UL-Approval, CSA

HEYClip™ Lockit™ Cable Holder Side Entry
Mounting Hole ø 3,5mm
UL-Approval

HEYClip™ Ladder Cable Holder
UL-Approval

HEYClip™ Split Dart Cable Holder
Mounting Hole ø 4,5 – 6,5mm
UL-Approval

HEYClip™ Optical Fiber Cable Holder, SNAP-IN
Mounting Hole ø 4,8 – 9,5mm
UL-Approval

Cable Ties and Accessories

Heyco® Nytye® Nylon 66 Cable Tie
UL-Approval

Heyco® Nytye® Nylon 12 Cable Tie
UL-Approval

Heyco® Nytye® Nylon 66
Heavy Duty Cable Ties
UL-Approval

Heyco® Nytye® Double Loop Cable Ties
UL-Approval

Heyco® Nytye®
Push Mount Nylon Cable Ties, SNAP-IN
Mounting Hole ø 4,7 – 6,4mm
UL-Approval

Heyco® Nytye®
Push Mount Nylon Cable Ties, SNAP-IN
Mounting Hole ø 4,0 – 5,0mm
UL-Approval

Heyco® Nytye®
Push Mount Nylon Cable Ties, SNAP-IN
Mounting Hole ø 6,0 – 6,5mm
UL-Approval

Heyco® Nytye®
Push Mount Nylon Cable Ties, SNAP-IN
Mounting Hole ø 4,5 – 7,0mm
UL-Approval

Heyco® Nytye®
Push Mount Nylon Cable Ties,
Blind Hole Mount
Mounting Hole ø 6,4mm
UL-Approval

Heyco® Nytye®
Low Profile Nylon Cable Ties
UL-Approval

Heyco® Nytye®
Low Profile Nylon Cable Ties,
Releasable Locking
UL-Approval

Heyco® Nytye®
Screw Mount Nylon Cable Ties
with Hole ø 2,9 – 4,2mm
UL-Approval

Heyco® Nytye®
Identification Nylon Cable Ties
UL-Approval

Heyco® Flat Nytye® Mounting Platforms
Adhesive-Back and Screw Mount
With Hole ø 3,5 – 4,0mm
UL-Approval

Heyco® Flat Nytye® Mounting Platforms
Adhesive-Back and Screw Mount
With Hole ø 2,9 – 4,8mm
UL-Approval

Heyco®
Push Mount Nytye® Mounting Platforms
Mounting Hole ø 4,8– 7,9mm
UL-Approval

Heyco® Snap Over Bolt
Nytye® Mounting Platforms
Stand-Off Thread M5– M16
UL-Approval

Heyco® Stainless Steel Edge Clip
Nytye® Mounting Platforms
Material Thickness 1,5-6,4mm
UL-Approval

Heyco® Nytyes with Stainless Steel Locking Device
 UL-Approval

Heyco® Heavy Duty
Stainless Steel Wire Cable Ties
UL-Approval

Heyco® Stainless Steel Cable Ties –
Regular and PVC Coated, AISI 304 & 316

Heyco® Beaded Ties
UL-Approval

Heyco® Mounting Platforms Beaded Ties
Adhesive-Back and Screw Mount
With Hole ø 3,8mm
UL-Approval

Heyco® Cable Tie Tensioning Tool

Sleeving, Wrap and Slit Tubing

Heyco® Braided Sleeving
UL-Approval

Heyco® Hose and Cable Wrap - Polyethylene
Standard
UL-Approval

Heyco® Hose and Cable Wrap – Nylon
Standard
UL-Approval

Heyco-Flex™ V Nylon Slit Tubing
UL-Approval

Rivets

HEYClip™ Snap Rivets
UL-Approval

HEYClip™ Heat Resistant Snap Rivets
UL-Approval

HEYClip™ Countersunk Type H Rivets
UL-Approval

HEYClip™ Drive Rivets
UL-Approval

HEYClip™ Drive Rivets
UL-Approval

HEYClip™ Type P Snap Rivets
UL-Approval

HEYClip™ Shorty Snap Rivets
UL-Approval

HEYClip™ Ratchet Rivets
UL-Approval

HEYClip™ Unscrewing Snap Rivets
UL-Approval

HEYClip™ Tough Rivets
UL-Approval

HEYClip™ Removable Rivets
UL-Approval

HEYClip™ Blunt Rivets
UL-Approval

HEYClip™ Expansion Rivets
UL-Approval

Fasteners

HEYClip™ Drive Fasteners
Mounting Hole ø 3,2 – 5,5mm
UL-Approval

HEYClip™ Drive Fasteners
Mounting Hole ø 4,0 - 4,7mm
UL-Approval

HEYClip™ Drive Fasteners
Mounting Hole ø 3,8mm
UL-Approval

HEYClip™ Nylon Arrow Clips
Mounting Hole ø 4,0 - 4,7mm
UL-Approval

HEYClip™ Shorty Mounting Buttons
Mounting Hole ø 3,0 – 6,4mm
UL-Approval

HEYClip™ Nylon Kayak Clips
Mounting Hole ø 3,1 – 6,2mm
UL-Approval

HEYClip™ Nylon Holster Clips
Mounting Hole ø 5,6 – 6,4mm
UL-Approval

HEYClip™ Nylon Push-In Fastener
Mounting Hole ø 2,4 – 6,6mm
UL-Approval

HEYClip™ Nylon Thick Panel Push-In Fasteners
Mounting Hole ø 3,0 – 8,9mm
UL-Approval

HEYClip™ Drive Fasteners
Mounting Hole ø 2,5mm
UL-Approval

HEYClip™ Turn Fastener
für Aussparung 10,0 x 15,0mm
UL-Approval

HEYClip™ Turn Fastener
Mounting Hole ø 6,4mm
UL-Approval

HEYWARE – MECHANICAL ELECTRONICS COMPONENTS

Bumpers and Feet

Heyco® Rubber Push-In Bumpers
Mounting Hole ø 3,0 – 12,7mm

Heyco® Rubber Push-In Bumpers
Mounting Hole ø 3,8 – 12,7mm

Heyco® Screw-In Rubber Pocket Bumpers
With Hole ø 3,2 – 9,6mm

Heyco® Polyurethane Adhesive-Back Bumpers
UL-Approval

Heyco® Break-Away Bumpers
Mounting Hole ø 4,7 – 5,4mm
UL-Approval

Heyco® Feet with drive Pin
Mounting Hole ø 5,0 – 8,1mm
UL-Approval

Heyco® Feet with Push Rivet
Mounting Hole ø 3,6 – 5,2mm
UL-Approval

Heyco® Feets of Strength
with Snap-In Locking Fingers
Mounting Hole ø 7,9mm
UL-Approval

Heyco® Feets of Strength
with Snap-In Locking Fingers
Mounting Hole ø 12,7 – 27,8mm
UL-Approval

Latches and Strikers

HEYClip™ Latches and Strikers
UL-Approval

HEYClip™ Latches and Strikers
UL-Approval

HEYClip™ Latches and Strikers
UL-Approval

Heyco® Snap Latch Rivets
UL-Approval

Rotary Dampers

Heyco® Rotary Dampers – different Versions
UL-Approval

HEYware Samples Kit

Heyware sample Kit
Different Versions

Terminal Blocks, Wire Connectors and Neutral Bars

Heyco® Aluminium Solderless Connectors
UL 94 V-0 UL, CSA Approval

Heyco® Copper Lug Connector
UL 94 V-0 UL, CSA Approval

Heyco® Copper
and Aluminium Lay-In Connector
UL Approval

Heyco® Aluminium Neutral Bars
UL, CSA Approval

Heyco® Wire Protector Terminal Blocks
UL, VDE Approval

Heyco® Barrier Terminal Blocks
94 V-0 UL Approval

Heyco® Screw to Tab Terminal Blocks -
2 Tabs
94 V-0 UL, CSA Approval

Heyco® Aluminium Modular Splice Block
UL, CSA Approval

Heyco® Screw to Tab Terminal Blocks -
3 Tabs
94 V-0 UL Approval

Heyco® Wire Connectors
94 V-0 / V-2 UL Approval

Quick Connect and Ring & Spade Terminals

Heyco® Quick Connect Terminals - Male

Heyco® Quick Connect Terminals - Male

Heyco® Quick Connect Terminals
UL, CSA Approval

Heyco® Quick Connect Terminals
UL, CSA Approval

Heyco® Heavy Duty
Ring and Spade Terminals
UL Approval

Heyco® Ring and Spade Terminals
UL Approval

Terminal Bushings

Terminal Bushing SNAP-IN
Polycarbonate
HEYConnect™ Terminal Bushings
UL Approval

Turn-2-Lock Components

Heyco® Turn-2-Lock
Components 15 Amp

Heyco® Turn-2-Lock
Components 20 Amp

Heyco® Turn-2-Lock
Components 30 Amp

Heyco® Nylon Premolds

Heyco® IEC-14 Plug

Preassembled Cordset Components and Contacts

Heyco® Preassembled
Cordset Components 125 Volt / 15Amp
NEMA 5-15R

Heyco® Preassembled
Cordset Components
UL Approval

Heyco® Preassembled
Cordset Components
UL, CSA Approval

Heyco® Preassembled
Cordset Components
UL, CSA Approval

IEC-320, 250V / 10 Amp
Heyco® Preassembled
Cordset Components

IEC-320, 250V / 10 Amp
Heyco® Business Machine
Female Connectors

IEC-320, 250V / 10 Amp
Heyco® Business Machine Male Connectors

NEMA 5-15P Blades

Heyco® Heavy Duty
Male Blades for Range and Dryer

Heyco® Heavy Duty Female Blade

Heyco® Padded Male Blades
UL, CSA Approval

Heyco® Full Thickness Male Blades
UL, CSA Approval

Heyco® Full Thickness Male Blades
UL, CSA Approval

Heyco® Full Thickness Male Blades
UL, CSA Approval

Heyco® Full Thickness Male Blades BGB
and BGMT Series
UL, CSA Approval

OEM Blades

Heyco® Hospital Grade Solid Male Blades
UL, CSA Approval

Heyco® Hospital Grade U-Shape Ground Pins

Heyco® Plug-In Device Contacts

Surface Mount Miniature and PCB Connectors

Heyco® Surface Mount Miniature Connectors
94 V-0 UL, CSA Approval

Heyco® Surface Mount Miniature Connectors
94 V-0 UL, CSA Approval

Folded Pins and Mating Chart

Heyco® ø 4,7mm Diameter Ground Pins

Heyco® ø 4,7mm Diameter Ground Pins-Male Right Angle

Heyco® ø 4,7mm Diameter Ground Pins– Female
Series 1550, 1500, 1530, and 1526

Heyco® Speciality Pins ø 4,7mm

Heyco® Heavy Duty Ground Pins Male30, 50, 60 Amp

Heyco® Heavy Duty Ground Pins – Female

Heyco® Male - Pins

Heyco® Male – Pins

Female Connectors

Heyco Female Pin Connectors – Round Barrel - TVR, SC, and 1200 Series

Heyco® Female Pin Connectors, Round Barrel with Insulation Crimp - FE Series

Heyco® Specialty Female Connectors – 1330, JH, and JHB Series

Heyco® Female Cord Connectors – 1152, 1155, 1155-90, ECN60, EC60 and 1120 Series

Multi-Connectors and Combination Terminals

Heyco® Multi-Connectors for Extension Cords

Heyco® Multi-Connectors for Extension Cords

Heyco® Multi-Connectors for Power Blocks

Heyco® Multi-Connectors for Power Blocks

Heyco® Multi-Connectors for Power Blocks

Heyco® Male/Female Combination Terminals -27 Gauge

Heyco® Male/Female Combination Terminals -20 Gauge

Heyco® Combination Ground Pins

Shockproof Push Rivets (SPPR)

• New product-2 piece Rivet design
• New interlocking feature prevents Rivet from jogging loose.
• Removable-pry under head

Heat Resistant Shockproof Push Rivets (SPPR)

• New product-2 piece Rivet design
• New interlocking feature prevents Rivet from jogging loose.
• Heat Resistant up to 374F (190C)
• Removable-pry under head

Drive Fasteners (DF)

• Expansion: Additional materials added
• Nylon V2 and V-0 added to existing line
• Hollow body design increases flexibility, for easy installation.

Drive Fasteners (DF)

• Expansion: Additional materials added
• Nylon V2 and V-0 added to existing line
• Hollow body design increases flexibility, for easy installation.

Heyco Automotive Unscrewing Rivets (HUSR)

• Expansion: new sizes added
• Removable
• Phillips head drive

HEYClip™ Nylon Push Screws (HPLP)

• Used to attach multiple panels to each other
• Can be used with wood, metal, foam, rubber and plastic
• Available in Black & Natural, 5-hole sizes

Heyco Liquid Tight Break Thru Strain Relief (LTBSR)

• Cable Strain Relief (2K injection moulding Nylon/TPE) function as a Liquid Tight Cable Strain Relief / Cable Gland
• Flat Design - Height above panel is less than 4,0mm
• Simple Cable installation – due TPE Membrane
• Can be pre-assembled to the cable prior to installation (LTBSR can be installed at cable harness shops prior to cables shipping to OEMs).
• Quick & Easy Installation, without Tools – "Click-IN" Looking System – no screwing, no locknut
• 70% Assembly Time Saving vs. Cable Gland
• Max. Cable Strain Relief Force 155 Newton
• Ip protected IP 65, 66, 67, & IP 68 (25 Psi for 24 hours) / UL 514B
• cULus approval UL 514B & Flammability Rating UL 94-V0
• Standard Colors: Black, White, Light-Grey (RAL 7035)

Heavy duty lock-it P Clamps (HDLCC)

• Max Bundle Ø from 9,5 to 76,0mm
• UV rated Nylon 6/6 V2; V0 will be offered
• Colors: Gray and Black
• Sizes 9,5 to 25,50mm offered in only Nylon
• Sizes 38,0 to 76,0mm include a steel screw mount tab that is insert molded.

Larger sizes also include second mounting option inside the clamp area for anti-rotation.

Clamp provides the installer the ability to remove the wire bundle without removing the clamp from the enclosure!

Release Q4 2021 *(Max Bundle Ø from 38,0 to 76,0mm)*
Release Q1 2022 *(Max Bundle Ø from 9,5 to 25,50mm)*

Heyco Edge Clips (EC13**,EC36**)

Markets/Applications
• Solar/Electrical
• Automotive
• HVAC
• White Goods

• For use in applications where traditional mounting methods such as holes or adhesives cannot be used due to environmental factors such as heat/humidity.
• Easily installs on plastic and metal with material thicknesses between 1-3mm or 3-6mm.
• Clip provides low insertion force and "barbed" teeth ensure a 220N Tensile strength on the Edge Clip.
• 2-pc. design ensures proper position of bundle assembly in relation to Edge Clip.
• Bi-directional mounting offers various cable tie orientations.
• Material: High Impact Modified Nylon (PA) 66, UV Resistant and Heat stabilized.
• Temp. Range: -40°C to 105°C, Flammability Rating: UL94 V-2.
• **Today available also PN 15214, the Single Piece Edge Clip wire tie!**
• Available also in Stainless steel
• Very Competitive pricing!

Heyco · Customer Solution Program · Customized Plastic & Metal Stamping Products

Are you looking for a cost-effective and technical product solution?

Heyco · Customer Solution Program · our engineering develops and provide your customerspecific product requirements.

Idea / Analyse	Concept	Development	Tooling	Production
Analyse Requirements	Concept Project Design	Construction	Tooling	Series Manufacturing
Define Project Criteria	Feasability Analysis	3D Drawings	Samples	Quality Control
Creating the Basics	Concept Presentation	Prototypes	Sample Release-Approval (VDA, ISO 9001)	

Heyco – Customer Solution Programm – Your Advantages

- Cost-effective tool investment through · Heyco MUD Tooling System
- Analysis and concept phase on site
- Own R & D / development, as well In-House Toolmaking
- Efficient tool design
- Quality control
- Complete support from the idea to series production
- After Sales Service & Support Logistics

REACH | Registration, Evaluation, Authorization and Restriction of Chemicals

RoHS & WEEE
— Certificate of Complaince —

TÜVRheinland® ZERTIFIZIERT

TÜV SÜD ISO 9001:2015

American Recovery and Reinvestment Act Certification

DFARS Certificate of Compliance

Heyco® Solar Products Warranty

EC-Declaration of Conformity

Heyco® Conflict Minerals
View Policy
Conflict Minerals Reporting Template

ATEX Product Quality Assurance Notification

UL Listed   Recognized   DVE Recognized

ELEKTROZUBEHÖR:
more than 65 years in close contact with the world of electrotechnics.

Elektrozubehör is an italian company that specializes in supplying quality products for the electrotechnical market. Since it was founded, Elektrozubehör has been supplying only the best quality products which the world market has to offer, ranging from the simplest to the most particular product in a complete range of sizes, colours, accessories and variations.

Elektrozubehör ensures a flexible and extensive order supply, striving to meet the customers expectations to the fullest and guaranteeing the supply of any unique custom-made order to fit any unique necessity.

Elektrozubehör also assures the utmost attention and care in every phase, ensures full compliance with most international certifications and regulations and takes into account safety and prevention.

Elektrozubehör has reached a milestone in 2019, celebrating 65 years in business!
A long and eventful experience characterized by its dedication to work, constant commitment, challenges met and continuous targets which have been achieved throughout the years. Elektrozubehör's success is due to its policy of providing high quality products and personalized customer care and encouraging the company's strong and enthusiastic team to continue to be one of the most reliable point of reference for everyone operating in this field for many years to come.

Elektrozubehör has evolved into a dynamic and modern company, addressing the new competitive challenges of the new century and hence guaranteeing the full satisfaction of the customers in both the logistics and the technological field.
In the logistics field, a large and new department was established in Vimodrone (Milan) designed to carry an extensive inventory and enable orders to be processed in a faster and more efficient way. The new department also includes the renovated Point of Sale.
In the technological field, the Internet website has been completely reconstructed and is constantly being improved and renovated providing extensive information and a better surfing experience.

Elektrozubehör complies with the standard **UNI EN ISO 9001:2015** that guarantees an advanced corporate quality management system that strives to achieve a continuous improvement in company's performance and ensures the utmost customer satisfaction.

www.elektrozubehor.it

Scan the QR code for a fast access to Elektrozubehör's products.

MORE THAN 30.000
COMPONENTS
AVAILABLE IN STOCK

NEW PRODUCTS
AND UPDATES
AVAILABLE ONLINE

FULL RANGE OF TECHNICAL
ASSISTANCE AND
CONSULTING SERVICES

CATALOGUES
AND SAMPLES DELIVERED
FREE OF CHARGE

FAST DELIVERY
THROUGHOUT
EUROPE

LARGE
WAREHOUSE FACILITY
WITH A POINT OF SALE

CE • c(UL)us • c(RU)us • CSA c us • (S) • LR • EN 45545 • SNCF • EAC • VDE • IECEx • Ex

All Elektrozubehör's products...

SPACERS

SCREWS, WASHERS, NUTS

SLEEVES AND TOOLS, INSULATING TUBINGS AND TAPES

HEAT-SHRINKABLE TUBINGS, HEAT GUNS

GROMMETS

...to meet every requirement!

SLEEVED GROMMETS, PIPES AND SOFT CAPS

BUSHINGS

STRAIN RELIEF BUSHINGS

PLUGS

PARALLEL PLUGS, CAPS

The most complete range of accessories...

FEET, SEALS AND SOFT WASHERS

"QUICK-SYSTEM" - CORRUGATED CONDUITS

"QUICK-SYSTEM" - CONNECTORS

"QUICK-SYSTEM" – ACCESSORIES

FASTENING SYSTEMS

...for the electrotechnical market!

TERMINALS AND TOOLS, GROUNDSTRAPS

CABLE GLANDS, EMC AND IECEx CABLE GLANDS

CABLE GLANDS ACCESSORIES, IECEx ACCESSORIES

LOCKNUTS, ENLARGERS, REDUCERS, ADAPTERS

MARKING SYSTEMS

Scan the QR code and
check our Privacy Policy (GDPR),
our Sales Conditions and
all other Elektrozubehör's documents.

ELEKTROZUBEHÖR IS A
HEYCO'S EUROPEAN MASTER DISTRIBUTOR

HEYCO®

a PennEngineering® Company

Scan the QR code for a fast access to Elektrozubehör's products.

www.elektrozubehor.it