




MULTI-WIRE CABLE GLANDS WITH IP 67 SEALED MEMBRANE IN TPE - "IP-PLUG"

Material: TPE/TPE-V0 halogen free.

Color: light gray Ral 7035, black Ral 9005, white Ral 9010.

Use temperature: -50°C / +125°C (TPE cable glands), -40°C / +80°C (TPE-V0 cable glands)

Features: these grommets are extremely innovative and are installed very easily and quickly. They are characterized by the "pop-out" membrane which can accommodate up to 3 cables and which can be easily pierced by the cable as it passes through it, therefore without the need to use any tools. These cable glands are IP 67 sealed even if only 1 or 2 cables are installed and, if necessary, they can also be used as watertight caps. They are extremely flexible, adapt to a wide range of cable diameters and maintain the sealing characteristics unchanged even in the case of cable bending. As they are made of soft TPE they are particularly suitable for applications on curved surfaces. Finally, they are particularly suitable for the lighting sector and in particular for LED luminaires as they are produced in TPE without the addition of sulfur.

Flammability: flame retardant and self-extinguishing UL94-V0 (cable glands in TPE-V0)

On request: for quantity, they can be supplied in other colors as per RAL table.

IP protection: IP 67 according to EN 60670-1: 2005 + A1: 2013 specifications.

Regulations and Certifications: SEMKO (TPE cable glands).

The drawing is indicative and the proportions may not correspond to the table or real dimensions.

ITEM	Material	Color	suitable for hole	Ø est. min - max cable mm	Ø mounting hole mm	frame thickness mm	ØB mm	H mm	H1 mm	pack pcs.
IP-U-MULTI PG1161 3x4.6	TPE	white RAL 9010	PG11	4 - 6	19	0,5 - 3	26	11	6,75	50
IP-U-MULTI- V0 PG1161 3x4.6	TPE-V0	white RAL 9010	PG11	4 - 6	19	0,5 - 3	26	11	6,75	50
IP-U-MULTI PG1164 3x4.6	TPE	gray RAL 7035	PG11	4 - 6	19	0,5 - 3	26	11	6,75	50
IP-U-MULTI- V0 PG1164 3x4.6	TPE-V0	gray RAL 7035	PG11	4 - 6	19	0,5 - 3	26	11	6,75	50
IP-U-MULTI PG1166 3x4.6	TPE	black RAL 9005	PG11	4 - 6	19	0,5 - 3	26	11	6,75	50

ELEKTROZUBEHÖR SPA

Sede:
Via F.lli Bronzetti, 24
20129 Milano (Italy)

Tel.: +39 02 701471
C.F. e P. IVA: 00729140152
Capitale Sociale: € 260.000

Centro logistico:
Via Cadorna, 66/A
20055 Vimodrone MI

Registro imprese: n° 92394 Tribunale di Milano
R.E.A.: 460657 - INTRASTAT: IT 00729140152
Posizione Import: MI 007993



IP-U-MULTI-V0 PG1166 3x4.6	TPE-V0	black RAL 9005	PG11	4 - 6	19	0,5 - 3	26	11	6,75	50
IP-U-MULTI PG1661 3x4.8	TPE	white RAL 9010	PG16	4 - 8	23	0,5 - 3,5	30	11	6,75	50
IP-U-MULTI-V0 PG1661 3x4.8	TPE-V0	white RAL 9010	PG16	4 - 8	23	0,5 - 3,5	30	11	6,75	50
IP-U-MULTI PG1664 3x4.8	TPE	gray RAL 7035	PG16	4 - 8	23	0,5 - 3,5	30	11	6,75	50
IP-U-MULTI-V0 PG1664 3x4.8	TPE-V0	gray RAL 7035	PG16	4 - 8	23	0,5 - 3,5	30	11	6,75	50
IP-U-MULTI PG1666 3x4.8	TPE	black RAL 9005	PG16	4 - 8	23	0,5 - 3,5	30	11	6,75	50
IP-U-MULTI-V0 PG1666 3x4.8	TPE-V0	black RAL 9005	PG16	4 - 8	23	0,5 - 3,5	30	11	6,75	50
IP-U-MULTI M2061 3x4.7	TPE	white RAL 9010	M20	4 - 7	20,5	0,5 - 3	27,5	11	6,75	50
IP-U-MULTI-V0 M2061 3x4.7	TPE-V0	white RAL 9010	M20	4 - 7	20,5	0,5 - 3	27,5	11	6,75	50
IP-U-MULTI M2064 3x4.7	TPE	gray RAL 7035	M20	4 - 7	20,5	0,5 - 3	27,5	11	6,75	50
IP-U-MULTI-V0 M2064 3x4.7	TPE-V0	gray RAL 7035	M20	4 - 7	20,5	0,5 - 3	27,5	11	6,75	50
IP-U-MULTI M2066 3x4.7	TPE	black RAL 9005	M20	4 - 7	20,5	0,5 - 3	27,5	11	6,75	50
IP-U-MULTI-V0 M2066 3x4.7	TPE-V0	black RAL 9005	M20	4 - 7	20,5	0,5 - 3	27,5	11	6,75	50
IP-U-MULTI M2561 3x4.9	TPE	white RAL 9010	M25	4 - 9	25,5	0,5 - 3,5	32,5	11	6,75	50
IP-U-MULTI-V0 M2561 3x4.9	TPE-V0	white RAL 9010	M25	4 - 9	25,5	0,5 - 3,5	32,5	11	6,75	50
IP-U-MULTI M2564 3x4.9	TPE	gray RAL 7035	M25	4 - 9	25,5	0,5 - 3,5	32,5	11	6,75	50

ELEKTROZUBEHÖR SPA

Sede:
Via F.lli Bronzetti, 24
20129 Milano (Italy)

Tel.: +39 02 701471
C.F. e P. IVA: 00729140152
Capitale Sociale: € 260.000

Centro logistico:
Via Cadorna, 66/A
20055 Vimodrone MI

Registro imprese: n° 92394 Tribunale di Milano
R.E.A.: 460657 - INTRASTAT: IT 00729140152
Posizione Import: MI 007993





IP-U-MULTI-V0 M2564 3x4.9	TPE-V0	gray RAL 7035	M25	4 - 9	25,5	0,5 - 3,5	32,5	11	6,75	50
IP-U-MULTI M2566 3x4.9	TPE	black RAL 9005	M25	4 - 9	25,5	0,5 - 3,5	32,5	11	6,75	50
IP-U-MULTI-V0 M2566 3x4.9	TPE-V0	black RAL 9005	M25	4 - 9	25,5	0,5 - 3,5	32,5	11	6,75	50

NB: PLEASE NOTE THAT THE EXTERNAL DIAMETER (ØB) AND THE EDGE HEIGHT OF THE CABLE GUIDE (H1) HAVE DIMENSIONS THAT VARY ACCORDING TO THE FRAME THICKNESS.

Tutte le informazioni e i dati sono indicativi e possono essere soggetti a variazioni senza preavviso

ELEKTROZUBEHÖR SPA

Sede:
Via F.lli Bronzetti, 24
20129 Milano (Italy)

Tel.: +39 02 701471
C.F. e P. IVA: 00729140152
Capitale Sociale: € 260.000

Centro logistico:
Via Cadorna, 66/A
20055 Vimodrone MI

Registro imprese: n° 92394 Tribunale di Milano
R.E.A.: 460657 - INTRASTAT: IT 00729140152
Posizione Import: MI 007993

