




PLASTIC HEX LOCK NUTS (PG THREAD)

Material: polyamide 6 (PA 6) reinforced with glass fiber at 25% for P-CT or 30% for P-CT82.

Color: light gray Ral 7035, dark gray Ral 7001, black Ral 9005.

Use temperature: -30°C / +120°C

Flammability: flame retardant UL94-HB (P-CT)

Features: universal hexagonal lock nut in polyamide 6 reinforced with glass fiber, with PG thread DIN 40430/46320.

On request: polystyrene lock nuts (-20°C / +70°C) in the three RAL colors (example for P-CT in PG7, gray RAL 7035: P-CT PG744.15; example for P-CT82 in PG7, gray RAL 7035: P-CT82 PG744.19), polycarbonate locknuts (-40°C / +135°C) in gray RAL 7035 and black RAL 9005 (example for P-CT in PG7, gray RAL 7035: P-CT PG724.15 ; example for P-CT82 in PG7, gray RAL 7035: P-CT82 PG724.19).

The drawing is indicative and the proportions may not correspond to the table or real dimensions.

ITEM	Color	Material	thread pitch	thread value	key mm	H mm	pack pcs.
P-CT PG704.15	gray RAL 7035	PA 6 (25% FV)	PG	7	15	5	50
P-CT PG705.15	gray RAL 7001	PA 6 (25% FV)	PG	7	15	5	50
P-CT PG706.15	black RAL 9005	PA 6 (25% FV)	PG	7	15	5	50
P-CT82 PG704.19	gray RAL 7035	PA 6 (30% FV)	PG	7	19	5	100
P-CT82 PG705.19	gray RAL 7001	PA 6 (30% FV)	PG	7	19	5	100
P-CT82 PG706.19	black RAL 9005	PA 6 (30% FV)	PG	7	19	5	100
P-CT PG904.19	gray RAL 7035	PA 6 (25% FV)	PG	9	19	5	50
P-CT PG905.19	gray RAL 7001	PA 6 (25% FV)	PG	9	19	5	50
P-CT PG906.19	black RAL 9005	PA 6 (25% FV)	PG	9	19	5	50
P-CT82 PG904.22	gray RAL 7035	PA 6 (30% FV)	PG	9	22	5	100
P-CT82 PG905.22	gray RAL 7001	PA 6 (30% FV)	PG	9	22	5	100
P-CT82 PG906.22	black RAL 9005	PA 6 (30% FV)	PG	9	22	5	100
P-CT PG1104.22	gray RAL 7035	PA 6 (25% FV)	PG	11	22	5	50
P-CT PG1105.22	gray RAL 7001	PA 6 (25% FV)	PG	11	22	5	50
P-CT PG1106.22	black RAL 9005	PA 6 (25% FV)	PG	11	22	5	50
P-CT82 PG1104.24	gray RAL 7035	PA 6 (30% FV)	PG	11	24	5	100
P-CT82 PG1105.24	gray RAL 7001	PA 6 (30% FV)	PG	11	24	5	100
P-CT82 PG1106.24	black RAL 9005	PA 6 (30% FV)	PG	11	24	5	100
P-CT PG1304.24	gray RAL 7035	PA 6 (25% FV)	PG	13,5	24	5	50
P-CT PG1305.24	gray RAL 7001	PA 6 (25% FV)	PG	13,5	24	5	50

ELEKTROZUBEHÖR SPA

Sede:
Via F.lli Bronzetti, 24
20129 Milano (Italy)

Tel.: +39 02 701471
C.F. e P. IVA: 00729140152
Capitale Sociale: € 260.000

Centro logistico:
Via Cadorna, 66/A
20055 Vimodrone MI

Registro imprese: n° 92394 Tribunale di Milano
R.E.A.: 460657 - INTRASTAT: IT 00729140152
Posizione Import: MI 007993





P-CT PG1306.24	black RAL 9005	PA 6 (25% FV)	PG	13,5	24	5	50
P-CT82 PG1304.27	gray RAL 7035	PA 6 (30% FV)	PG	13,5	27	6	100
P-CT82 PG1305.27	gray RAL 7001	PA 6 (30% FV)	PG	13,5	27	6	100
P-CT82 PG1306.27	black RAL 9005	PA 6 (30% FV)	PG	13,5	27	6	100
P-CT PG1604.27	gray RAL 7035	PA 6 (25% FV)	PG	16	27	6	50
P-CT PG1605.27	gray RAL 7001	PA 6 (25% FV)	PG	16	27	6	50
P-CT PG1606.27	black RAL 9005	PA 6 (25% FV)	PG	16	27	6	50
P-CT82 PG1604.30	gray RAL 7035	PA 6 (30% FV)	PG	16	30	6	100
P-CT82 PG1605.30	gray RAL 7001	PA 6 (30% FV)	PG	16	30	6	100
P-CT82 PG1606.30	black RAL 9005	PA 6 (30% FV)	PG	16	30	6	100
P-CT PG2104.32	gray RAL 7035	PA 6 (25% FV)	PG	21	32	6,5	25
P-CT PG2105.32	gray RAL 7001	PA 6 (25% FV)	PG	21	32	6,5	25
P-CT PG2106.32	black RAL 9005	PA 6 (25% FV)	PG	21	32	6,5	25
P-CT82 PG2104.36	gray RAL 7035	PA 6 (30% FV)	PG	21	36	7	100
P-CT82 PG2105.36	gray RAL 7001	PA 6 (30% FV)	PG	21	36	7	100
P-CT82 PG2106.36	black RAL 9005	PA 6 (30% FV)	PG	21	36	7	100
P-CT PG2904.41	gray RAL 7035	PA 6 (25% FV)	PG	29	41	7,5	20
P-CT PG2905.41	gray RAL 7001	PA 6 (25% FV)	PG	29	41	7,5	20
P-CT PG2906.41	black RAL 9005	PA 6 (25% FV)	PG	29	41	7,5	20
P-CT82 PG2904.46	gray RAL 7035	PA 6 (30% FV)	PG	29	46	7	50
P-CT82 PG2905.46	gray RAL 7001	PA 6 (30% FV)	PG	29	46	7	50
P-CT82 PG2906.46	black RAL 9005	PA 6 (30% FV)	PG	29	46	7	50
P-CT PG3604.60	gray RAL 7035	PA 6 (25% FV)	PG	36	60	8	10
P-CT PG3605.60	gray RAL 7001	PA 6 (25% FV)	PG	36	60	8	10
P-CT PG3606.60	black RAL 9005	PA 6 (25% FV)	PG	36	60	8	10
P-CT82 PG3604.60	gray RAL 7035	PA 6 (30% FV)	PG	36	60	8	50
P-CT82 PG3605.60	gray RAL 7001	PA 6 (30% FV)	PG	36	60	8	50
P-CT82 PG3606.60	black RAL 9005	PA 6 (30% FV)	PG	36	60	8	50
P-CT PG4204.65	gray RAL 7035	PA 6 (25% FV)	PG	42	65	9	5
P-CT PG4205.65	gray RAL 7001	PA 6 (25% FV)	PG	42	65	9	5
P-CT PG4206.65	black RAL 9005	PA 6 (25% FV)	PG	42	65	9	5
P-CT82 PG4204.65	gray RAL 7035	PA 6 (30% FV)	PG	42	65	8	50

ELEKTROZUBEHÖR SPA

Sede:
Via F.lli Bronzetti, 24
20129 Milano (Italy)

Tel.: +39 02 701471
C.F. e P. IVA: 00729140152
Capitale Sociale: € 260.000

Centro logistico:
Via Cadorna, 66/A
20055 Vimodrone MI

Registro imprese: n° 92394 Tribunale di Milano
R.E.A.: 460657 - INTRASTAT: IT 00729140152
Posizione Import: MI 007993





P-CT82 PG4205.65	gray RAL 7001	PA 6 (30% FV)	PG	42	65	8	50
P-CT82 PG4206.65	black RAL 9005	PA 6 (30% FV)	PG	42	65	8	50
P-CT PG4804.70	gray RAL 7035	PA 6 (25% FV)	PG	48	70	9,5	5
P-CT PG4805.70	gray RAL 7001	PA 6 (25% FV)	PG	48	70	9,5	5
P-CT PG4806.70	black RAL 9005	PA 6 (25% FV)	PG	48	70	9,5	5
P-CT82 PG4804.70	gray RAL 7035	PA 6 (30% FV)	PG	48	70	8	50
P-CT82 PG4805.70	gray RAL 7001	PA 6 (30% FV)	PG	48	70	8	50
P-CT82 PG4806.70	black RAL 9005	PA 6 (30% FV)	PG	48	70	8	50

Tutte le informazioni e i dati sono indicativi e possono essere soggetti a variazioni senza preavviso

ELEKTROZUBEHÖR SPA

Sede:
Via F.lli Bronzetti, 24
20129 Milano (Italy)
Tel.: +39 02 701471
C.F. e P. IVA: 00729140152
Capitale Sociale: € 260.000

Centro logistico:
Via Cadorna, 66/A
20055 Vimodrone MI

Registro imprese: n° 92394 Tribunale di Milano
R.E.A.: 460657 - INTRASTAT: IT 00729140152
Posizione Import: MI 007993

