



PLASTIC THREADED PLUGS WITH O-RING (PG THREAD)

Material: polyamide 6 cap, NBR O-Ring.


Color: light gray Ral 7035, dark gray Ral 7001, black Ral 9005.

Use temperature: -20°C / +100°C (with peaks -30°C / +150°C)

IP protection: IP 68.

Flammability: flame retardant and self-extinguishing UL94-V2.

Features: cross cut threaded plugs, complete with O-Ring. With PG thread - DIN 40430.



The drawing is indicative and the proportions may not correspond to the table or real dimensions.

ITEM	Color	thread pitch	thread value	ØB mm	H1 mm	H2 mm	pack pcs.
P-THC OR PG704.15.6	gray RAL 7035	PG	7	15	3	6	100
P-THC OR PG705.15.6	gray RAL 7001	PG	7	15	3	6	100
P-THC OR PG706.15.6	black RAL 9005	PG	7	15	3	6	100
P-THC OR PG704.15.10	gray RAL 7035	PG	7	15	3	10	100
P-THC OR PG705.15.10	gray RAL 7001	PG	7	15	3	10	100
P-THC OR PG706.15.10	black RAL 9005	PG	7	15	3	10	100
P-THC OR PG904.19,5.6	gray RAL 7035	PG	9	19,5	3	6	100
P-THC OR PG905.19,5.6	gray RAL 7001	PG	9	19,5	3	6	100
P-THC OR PG906.19,5.6	black RAL 9005	PG	9	19,5	3	6	100
P-THC OR PG904.19,5.10	gray RAL 7035	PG	9	19,5	3	10	100
P-THC OR PG905.19,5.10	gray RAL 7001	PG	9	19,5	3	10	100
P-THC OR PG906.19,5.10	black RAL 9005	PG	9	19,5	3	10	100
P-THC OR PG1104.22.6	gray RAL 7035	PG	11	22	3	6	100
P-THC OR PG1105.22.6	gray RAL 7001	PG	11	22	3	6	100

ELEKTROZUBEHÖR SPA

Sede:
Via F.lli Bronzetti, 24
20129 Milano (Italy)

Tel.: +39 02 701471
C.F. e P. IVA: 00729140152
Capitale Sociale: € 260.000

Centro logistico:
Via Cadorna, 66/A
20055 Vimodrone MI

Registro imprese: n° 92394 Tribunale di Milano
R.E.A.: 460657 - INTRASTAT: IT 00729140152
Posizione Import: MI 007993





P-THC OR PG1106.22.6	black RAL 9005	PG	11	22	3	6	100
P-THC OR PG1104.22.10	gray RAL 7035	PG	11	22	3	10	100
P-THC OR PG1105.22.10	gray RAL 7001	PG	11	22	3	10	100
P-THC OR PG1106.22.10	black RAL 9005	PG	11	22	3	10	100
P-THC OR PG1304.24,7.6	gray RAL 7035	PG	13,5	24,7	3	6	50
P-THC OR PG1305.24,7.6	gray RAL 7001	PG	13,5	24,7	3	6	50
P-THC OR PG1306.24,7.6	black RAL 9005	PG	13,5	24,7	3	6	50
P-THC OR PG1304.24,7.10	gray RAL 7035	PG	13,5	24,7	3	10	50
P-THC OR PG1305.24,7.10	gray RAL 7001	PG	13,5	24,7	3	10	50
P-THC OR PG1306.24,7.10	black RAL 9005	PG	13,5	24,7	3	10	50
P-THC OR PG1604.27.6	gray RAL 7035	PG	16	27	3,4	6	50
P-THC OR PG1605.27.6	gray RAL 7001	PG	16	27	3,4	6	50
P-THC OR PG1606.27.6	black RAL 9005	PG	16	27	3,4	6	50
P-THC OR PG1604.27.10	gray RAL 7035	PG	16	27	3,4	10	50
P-THC OR PG1605.27.10	gray RAL 7001	PG	16	27	3,4	10	50
P-THC OR PG1606.27.10	black RAL 9005	PG	16	27	3,4	10	50
P-THC OR PG2104.33.8	gray RAL 7035	PG	21	33	4	8	50
P-THC OR PG2105.33.8	gray RAL 7001	PG	21	33	4	8	50
P-THC OR PG2106.33.8	black RAL 9005	PG	21	33	4	8	50
P-THC OR PG2104.33.10	gray RAL 7035	PG	21	33	4	10	50
P-THC OR PG2105.33.10	gray RAL 7001	PG	21	33	4	10	50
P-THC OR PG2106.33.10	black RAL 9005	PG	21	33	4	10	50
P-THC OR PG2904.44.8	gray RAL 7035	PG	29	44	3,2	8	25
P-THC OR PG2905.44.8	gray RAL 7001	PG	29	44	3,2	8	25

ELEKTROZUBEHÖR SPA

Sede:
Via F.lli Bronzetti, 24
20129 Milano (Italy)

Tel.: +39 02 701471
C.F. e P. IVA: 00729140152
Capitale Sociale: € 260.000

Centro logistico:
Via Cadorna, 66/A
20055 Vimodrone MI

Registro imprese: n° 92394 Tribunale di Milano
R.E.A.: 460657 - INTRASTAT: IT 00729140152
Posizione Import: MI 007993





P-THC OR PG2906.44.8	black RAL 9005	PG	29	44	3,2	8	25
P-THC OR PG2904.44.10	gray RAL 7035	PG	29	44	3,2	10	25
P-THC OR PG2905.44.10	gray RAL 7001	PG	29	44	3,2	10	25
P-THC OR PG2906.44.10	black RAL 9005	PG	29	44	3,2	10	25
P-THC OR PG3604.55.10	gray RAL 7035	PG	36	55	3,7	10	10
P-THC OR PG3605.55.10	gray RAL 7001	PG	36	55	3,7	10	10
P-THC OR PG3606.55.10	black RAL 9005	PG	36	55	3,7	10	10

Tutte le informazioni e i dati sono indicativi e possono essere soggetti a variazioni senza preavviso

ELEKTROZUBEHÖR SPA

Sede:
Via F.lli Bronzetti, 24
20129 Milano (Italy)
Tel.: +39 02 701471
C.F. e P. IVA: 00729140152
Capitale Sociale: € 260.000

Centro logistico:
Via Cadorna, 66/A
20055 Vimodrone MI

Registro imprese: n° 92394 Tribunale di Milano
R.E.A.: 460657 - INTRASTAT: IT 00729140152
Posizione Import: MI 007993

