



## "EASY-ENTRY" 45° PLASTIC FITTINGS IP 66 (METRIC THREAD)

Material: polyamide 6.

Color: gray, black.

Use temperature: -40°C / +115°C

IP protection: IP 66 according to EN 60529/IEC 60529 specifications.

Flammability: flame retardant and self-extinguishing UL94-V0.

Regulations and Certifications: VDE (EN/IEC 61386-23), c-CSA-us (UL 1696, valid for sizes AD21.2 to AD54.5), LLOYD'S REGISTER OF SHIPPING (suitable for use in naval and offshore applications).

Features: they ensure perfect mechanical, tear-proof and anti-vibration resistance. They guarantee IP 66 sealing thanks to the conical structure of the interior. The rounded shape of the elbow facilitates the passage of cables ("EASY-ENTRY"). They are available with Metric, NPT threads. Resistance to oils, gasoline and in particular to acids and solvents. They do not contain cadmium, silicone or halogens.

The drawing is indicative and the proportions may not correspond to the table or real dimensions.

| ITEM                                | Color | OD tube<br>AD | thread<br>pitch | thread<br>value | ØA mm | ØB mm | F mm | K mm | J mm | key mm | pack pcs. |
|-------------------------------------|-------|---------------|-----------------|-----------------|-------|-------|------|------|------|--------|-----------|
| RQB1<br>45-M 12<br>AD10<br>GRIGI*   | Grey  | 10            | Metric          | 12x1.5          | 6,5   | 17    | 10   | 45   | 39   | 18     | 50        |
| RQB1<br>45-M 12<br>AD10 NERI        | black | 10            | Metric          | 12x1.5          | 6,5   | 17    | 10   | 45   | 39   | 18     | 50        |
| RQB1<br>45-M 16<br>AD13<br>GRIGI*   | Grey  | 13            | Metric          | 16x1.5          | 8,5   | 20    | 12   | 48   | 42,5 | 21     | 50        |
| RQB1<br>45-M 16<br>AD13 NERI        | black | 13            | Metric          | 16x1.5          | 8,5   | 20    | 12   | 48   | 42,5 | 21     | 50        |
| RQB1<br>45-M 20<br>AD15,8<br>GRIGI* | Grey  | 15,8          | Metric          | 20x1.5          | 10    | 23    | 12   | 52,5 | 44,5 | 24     | 50        |
| RQB1<br>45-M 20<br>AD15,8<br>NERI   | black | 15,8          | Metric          | 20x1.5          | 10    | 23    | 12   | 52,5 | 44,5 | 26     | 50        |

### ELEKTROZUBEHÖR SPA

**Sede:**  
Via F.lli Bronzetti, 24  
20129 Milano (Italy)

Tel.: +39 02 701471  
C.F. e P. IVA: 00729140152  
Capitale Sociale: € 260.000

**Centro logistico:**  
Via Cadorna, 66/A  
20055 Vimodrone MI

Registro imprese: n° 92394 Tribunale di Milano  
R.E.A.: 460657 - INTRASTAT: IT 00729140152  
Posizione Import: MI 007993





|                                     |       |      |        |        |      |      |    |    |      |    |    |
|-------------------------------------|-------|------|--------|--------|------|------|----|----|------|----|----|
| RQB1<br>45-M 20<br>AD21,2<br>GRIGI* | Grey  | 21,2 | Metric | 20x1.5 | 13   | 29,5 | 12 | 60 | 55   | 26 | 50 |
| RQB1<br>45-M 20<br>AD21,2<br>NERI   | black | 21,2 | Metric | 20x1.5 | 13   | 29,5 | 12 | 60 | 55   | 26 | 50 |
| RQB1<br>45-M 25<br>AD21,2<br>GRIGI* | Grey  | 21,2 | Metric | 25x1.5 | 14,5 | 29,5 | 13 | 60 | 56   | 26 | 50 |
| RQB1<br>45-M 25<br>AD21,2<br>NERI   | black | 21,2 | Metric | 25x1.5 | 14,5 | 29,5 | 13 | 60 | 56   | 26 | 50 |
| RQB1<br>45-M 25<br>AD28,5<br>GRIGI* | Grey  | 28,5 | Metric | 25x1.5 | 17   | 37   | 13 | 72 | 64   | 32 | 25 |
| RQB1<br>45-M 25<br>AD28,5<br>NERI   | black | 28,5 | Metric | 25x1.5 | 17   | 37   | 13 | 72 | 64   | 32 | 25 |
| RQB1<br>45-M 32<br>AD28,5<br>GRIGI* | Grey  | 28,5 | Metric | 32x1.5 | 20   | 37   | 14 | 75 | 64   | 36 | 25 |
| RQB1<br>45-M 32<br>AD28,5<br>NERI   | black | 28,5 | Metric | 32x1.5 | 20   | 37   | 14 | 75 | 64   | 36 | 25 |
| RQB1<br>45-M 32<br>AD34,5<br>GRIGI* | Grey  | 34,5 | Metric | 32x1.5 | 23   | 44   | 14 | 76 | 73,5 | 39 | 10 |
| RQB1<br>45-M 32<br>AD34,5<br>NERI   | black | 34,5 | Metric | 32x1.5 | 23   | 44   | 14 | 79 | 73,5 | 39 | 10 |
| RQB1<br>45-M 40<br>AD34,5<br>GRIGI* | Grey  | 34,5 | Metric | 40x1.5 | 29   | 44   | 14 | 77 | 73,5 | 45 | 10 |
| RQB1<br>45-M 40<br>AD34,5<br>NERI   | black | 34,5 | Metric | 40x1.5 | 29   | 44   | 14 | 77 | 73,5 | 45 | 10 |

## ELEKTROZUBEHÖR SPA

**Sede:**  
Via F.lli Bronzetti, 24  
20129 Milano (Italy)  
Tel.: +39 02 701471  
C.F. e P. IVA: 00729140152  
Capitale Sociale: € 260.000

**Centro logistico:**  
Via Cadorna, 66/A  
20055 Vimodrone MI

Registro imprese: n° 92394 Tribunale di Milano  
R.E.A.: 460657 - INTRASTAT: IT 00729140152  
Posizione Import: MI 007993





|                                     |       |      |        |        |      |    |    |     |      |    |    |
|-------------------------------------|-------|------|--------|--------|------|----|----|-----|------|----|----|
| RQB1<br>45-M 40<br>AD42,5<br>GRIGI* | Grey  | 42,5 | Metric | 40x1.5 | 31,5 | 52 | 17 | 86  | 82,5 | 48 | 10 |
| RQB1<br>45-M 40<br>AD42,5<br>NERI   | black | 42,5 | Metric | 40x1.5 | 31,5 | 52 | 17 | 86  | 82,5 | 48 | 10 |
| RQB1<br>45-M 50<br>AD42,5<br>GRIGI* | Grey  | 42,5 | Metric | 50x1.5 | 36   | 52 | 17 | 86  | 82,5 | 58 | 10 |
| RQB1<br>45-M 50<br>AD42,5<br>NERI   | black | 42,5 | Metric | 50x1.5 | 36   | 52 | 17 | 86  | 82,5 | 58 | 10 |
| RQB1<br>45-M 50<br>AD54,5<br>GRIGI* | Grey  | 54,5 | Metric | 50x1.5 | 35,5 | 64 | 17 | 95  | 92   | 58 | 5  |
| RQB1<br>45-M 50<br>AD54,5<br>NERI   | black | 54,5 | Metric | 50x1.5 | 35,5 | 64 | 17 | 95  | 92   | 58 | 5  |
| RQB1<br>45-M 63<br>AD54,5<br>GRIGI* | Grey  | 54,5 | Metric | 63x1.5 | 45,5 | 64 | 17 | 100 | 97   | 69 | 5  |
| RQB1<br>45-M 63<br>AD54,5<br>NERI   | black | 54,5 | Metric | 63x1.5 | 45,5 | 64 | 17 | 100 | 97   | 69 | 5  |

\* Article on request.

Tutte le informazioni e i dati sono indicativi e possono essere soggetti a variazioni senza preavviso

## ELEKTROZUBEHÖR SPA

**Sede:**  
Via F.lli Bronzetti, 24  
20129 Milano (Italy)  
**Tel.:** +39 02 701471  
**C.F. e P. IVA:** 00729140152  
**Capitale Sociale:** € 260.000

**Centro logistico:**  
Via Cadorna, 66/A  
20055 Vimodrone MI

Registro imprese: n° 92394 Tribunale di Milano  
R.E.A.: 460657 - INTRASTAT: IT 00729140152  
Posizione Import: MI 007993

