



INDIVIDUAL INSULATED POINTS

Material: tinned copper ferrules with polypropylene insulation.

Color: the color of the insulation varies according to the section of the conductor to be combined (see table).

Use temperature: max +105°C

Regulations and Certifications: UL.

Features: these ferrules are made of copper and electrolytically tinned to offer the best possible protection against corrosion. They are made with dimensions in accordance with DIN 46228/4. The inside of the "EasyEntry" type ferrules facilitates the insertion of the cable eliminating the risk of bending the wires.

On request: larger sizes are available up to a maximum section of 150 mm².

The drawing is indicative and the proportions may not correspond to the table or real dimensions.

ITEM	Color	color code	section mm ²	AWG section	ØA mm	ØA1 mm	L mm	L1 mm	pack pcs.
CET 001 S*	Brown	T.	0,14	26	0,7	1,6	10	6	500
CET 001 M*	Brown	T.	0,14	26	0,7	1,6	12	8	500
CEW 001 S*	Grey	W	0,14	26	0,7	1,6	10	6	500
CEW 001 M*	Grey	W	0,14	26	0,7	1,6	12	8	500
CET 002 S*	Violet	T.	0,25	24	0,75	1,8	10	6	500
CET 002-0,8 S*	yellow	T.	0,25	24	0,75	1,8	10	6	500
CET 002 L*	Violet	T.	0,25	24	0,75	1,8	12	8	500
CET 002-0,8 L*	yellow	T.	0,25	24	0,75	1,8	12	8	500
CEW 002 S*	heavenly	W	0,25	24	0,75	1,8	10	6	500
CEW 002-0,8 S	yellow	W	0,25	24	0,8	1,9	11	6	-
CEW 002 L*	heavenly	W	0,25	24	0,75	1,8	12	8	500
CEW 002-0,8 L	yellow	W	0,25	24	0,8	1,9	13	8	-
CET 003 S*	pink	T.	0,34	22	0,8	2	10	6	500
CET 003 L*	pink	T.	0,34	22	0,8	2	12	8	500
CEW 003 S*	turquoise	W	0,34	22	0,8	2	10	6	500
CEW 003 L*	turquoise	W	0,34	22	0,8	2	12	8	500
CET 005 C*	White	T.	0,5	20	1	2,6	12	6	500
CET 005 S*	White	T.	0,5	20	1	2,6	14	8	500
CET 005 M*	White	T.	0,5	20	1	2,6	16	10	500
CET 005 L	White	T.	0,5	22 - 20	1	2,6	18	12	-
CEW 005 C*	orange	W	0,5	20	1	2,6	12	6	500
CEW 005 S*	orange	W	0,5	20	1	2,6	14	8	500
CEW 005 M*	orange	W	0,5	20	1	2,6	16	10	500
CEW 005 L	orange	W	0,5	22 - 20	1	2,6	18	12	-
CED 005 C*	White	DIN 46228/4	0,5	20	1	2,6	12	6	500
CED 005 S*	White	DIN 46228/4	0,5	20	1	2,6	14	8	500
CED 005 M*	White	DIN 46228/4	0,5	20	1	2,6	16	10	500

ELEKTROZUBEHÖR SPA

Sede:
Via F.lli Bronzetti, 24
20129 Milano (Italy)

Tel.: +39 02 701471
C.F. e P. IVA: 00729140152
Capitale Sociale: € 260.000

Centro logistico:
Via Cadorna, 66/A
20055 Vimodrone MI

Registro imprese: n° 92394 Tribunale di Milano
R.E.A.: 460657 - INTRASTAT: IT 00729140152
Posizione Import: MI 007993





CED 005 L	White	DIN 46228/4	0,5	22 - 20	1	2,6	18	12	-
CET 007 C*	heavenly	T.	0,75	18	1,2	2,8	12	6	500
CET 007 S*	heavenly	T.	0,75	18	1,2	2,8	14	8	500
CET 007 M*	heavenly	T.	0,75	18	1,2	2,8	16	10	500
CET 007 L*	heavenly	T.	0,75	18	1,2	2,8	18	12	500
CEW 007 C*	White	W	0,75	18	1,2	2,8	12	6	500
CEW 007-3,2 C	White	W	0,75	18	1,2	3,2	12	6	-
CEW 007 S*	White	W	0,75	18	1,2	2,8	14	8	500
CEW 007-3,2 S	White	W	0,75	20 - 18	1,2	3,2	14	8	-
CEW 007 M*	White	W	0,75	18	1,2	2,8	16	10	500
CEW 007-3,2 M	White	W	0,75	20 - 18	1,2	3,2	16	10	-
CEW 007 L*	White	W	0,75	18	1,2	2,8	18	12	500
CED 007 C*	Grey	DIN 46228/4	0,75	18	1,2	2,8	12	6	500
CED 007 S*	Grey	DIN 46228/4	0,75	18	1,2	2,8	14	8	500
CED 007-3,2 S	Grey	DIN 46228/4	0,75	20 - 18	1,2	3,2	14	8	-
CED 007 M*	Grey	DIN 46228/4	0,75	18	1,2	2,8	16	10	500
CED 007 L*	Grey	DIN 46228/4	0,75	18	1,2	2,8	18	12	500
CED 010 C*	Red	DIN 46228/4	1	18	1,4	3	12	6	500
CED 010 S*	Red	DIN 46228/4	1	18	1,4	3	14	8	500
CED 010-3,4 S	Red	DIN 46228/4	1	18	1,4	3,4	14	8	-
CED 010 M*	Red	DIN 46228/4	1	18	1,4	3	16	10	500
CED 010 L*	Red	DIN 46228/4	1	18	1,4	3	18	12	500
CET 010 C*	Red	T.	1	18	1,4	3	12	6	500
CET 010 S*	Red	T.	1	18	1,4	3	14	8	500
CET 010-3,4 S	Red	T.	1	18	1,4	3,4	14	8	-
CET 010 M*	Red	T.	1	18	1,4	3	16	10	500
CET 010 L*	Red	T.	1	18	1,4	3	18	12	500
CEW 010 C*	yellow	W	1	18	1,4	3	12	6	500
CEW 010 S*	yellow	W	1	18	1,4	3	14	8	500
CEW 010-3,4 S	yellow	W	1	18	1,4	3,4	14	8	-
CEW 010 M*	yellow	W	1	18	1,4	3	16	10	500
CEW 010-3,4 M	yellow	W	1	18	1,4	3,4	16	10	-
CEW 010 L*	yellow	W	1	18	1,4	3	18	12	500
CET 015 C*	black	T.	1,5	16	1,7	3,5	12	6	500
CET 015 S*	black	T.	1,5	16	1,7	3,5	14	8	500
CET 015-3,8 S	black	T.	1,5	16	1,7	3,8	14	8	-
CET 015 M*	black	T.	1,5	16	1,7	3,5	16	10	500
CET 015 XM*	black	T.	1,5	16	1,7	3,5	18	12	500
CET 015 XXM	black	T.	1,5	16	1,7	3,5	20	14	-

ELEKTROZUBEHÖR SPA

Sede:
Via F.lli Bronzetti, 24
20129 Milano (Italy)

Tel.: +39 02 701471
C.F. e P. IVA: 00729140152
Capitale Sociale: € 260.000

Centro logistico:
Via Cadorna, 66/A
20055 Vimodrone MI

Registro imprese: n° 92394 Tribunale di Milano
R.E.A.: 460657 - INTRASTAT: IT 00729140152
Posizione Import: MI 007993





CET 015 L*	black	T.	1,5	16	1,7	3,5	24	18	500
CEW 015 C*	bordeaux	W	1,5	16	1,7	3,5	12	6	500
CEW 015-3,8 C	Red	W	1,5	16	1,7	3,8	12	6	-
CEW 015 S*	bordeaux	W	1,5	16	1,7	3,5	14	8	500
CEW 015-3,8 S	Red	W	1,5	16	1,7	3,8	14	8	-
CEW 015 M*	bordeaux	W	1,5	16	1,7	3,5	16	10	500
CEW 015-3,8 M	Red	W	1,5	16	1,7	3,8	16	10	-
CEW 015 XM*	bordeaux	W	1,5	16	1,7	3,5	18	12	500
CEW 015 XXM	Red	W	1,5	16	1,7	3,5	20	14	-
CEW 015 L*	bordeaux	W	1,5	16	1,7	3,5	24	18	500
CED 015 C*	black	DIN 46228/4	1,5	16	1,7	3,5	12	6	500
CED 015-3,8 C	black	DIN 46228/4	1,5	16	1,7	3,8	12	6	-
CED 015 S*	black	DIN 46228/4	1,5	16	1,7	3,5	14	8	500
CED 015-3,8 S	black	DIN 46228/4	1,5	16	1,7	3,8	14	8	-
CED 015 M*	black	DIN 46228/4	1,5	16	1,7	3,5	16	10	500
CED 015 XM*	black	DIN 46228/4	1,5	16	1,7	3,5	18	12	500
CED 015 XXM	black	DIN 46228/4	1,5	16	1,7	3,5	20	14	-
CED 015 L*	black	DIN 46228/4	1,5	16	1,7	3,5	24	18	500
CET 025 S*	Grey	T.	2,5	14	2,2	4,2	14	8	500
CET 025 M*	Grey	T.	2,5	14	2,2	4,2	18	12	500
CET 025 L*	Grey	T.	2,5	14	2,2	4,2	24	18	500
CEW 025 S*	blue	W	2,5	14	2,2	4,2	14	8	500
CEW 025 XS*	blue	W	2,5	14	2,2	4,2	16	10	500
CEW 025 M*	blue	W	2,5	14	2,2	4,2	18	12	500
CEW 025 L*	blue	W	2,5	14	2,2	4,2	24	18	500
CED 025 S*	blue	DIN 46228/4	2,5	14	2,2	4,2	14	8	500
CED 025-3,9 S	blue	DIN 46228/4	2,5	14	2,2	3,9	14	8	-
CED 025 M*	blue	DIN 46228/4	2,5	14	2,2	4,2	18	12	500
CED 025 L*	blue	DIN 46228/4	2,5	14	2,2	4,2	24	18	500
CED 040 C	Grey	DIN 46228/4	4	12	2,8	4,8	16	9	-
CED 040 S*	Grey	DIN 46228/4	4	12	2,8	4,8	17	10	500
CED 040 M*	Grey	DIN 46228/4	4	12	2,8	4,8	20	12	500
CED 040 L*	Grey	DIN 46228/4	4	12	2,8	4,8	26	18	500
CET 040 C	orange	T.	4	12	2,8	4,8	16	9	-
CET 040 S*	orange	T.	4	12	2,8	4,8	17	10	500
CET 040 M*	orange	T.	4	12	2,8	4,8	20	12	500
CET 040 L*	orange	T.	4	12	2,8	4,8	26	18	500
CEW 040 C	Grey	W	4	12	2,8	4,8	16	9	-
CEW 040 S*	Grey	W	4	12	2,8	4,8	17	10	500

ELEKTROZUBEHÖR SPA

Sede:
Via F.lli Bronzetti, 24
20129 Milano (Italy)

Tel.: +39 02 701471
C.F. e P. IVA: 00729140152
Capitale Sociale: € 260.000

Centro logistico:
Via Cadorna, 66/A
20055 Vimodrone MI

Registro imprese: n° 92394 Tribunale di Milano
R.E.A.: 460657 - INTRASTAT: IT 00729140152
Posizione Import: MI 007993





CEW 040 M*	Grey	W	4	12	2,8	4,8	20	12	500
CEW 040 L*	Grey	W	4	12	2,8	4,8	26	18	500
CED 060 S*	yellow	DIN 46228/4	6	10	3,5	6,3	20	12	100
CED 060 L*	yellow	DIN 46228/4	6	10	3,5	6,3	26	18	100
CET 060 S*	green	T.	6	10	3,5	6,3	20	12	100
CET 060 L*	green	T.	6	10	3,5	6,3	26	18	100
CEW 060 S*	black	W	6	10	3,5	6,3	20	12	100
CEW 060 L*	black	W	6	10	3,5	6,3	26	18	100
CED 100 S*	Red	DIN 46228/4	10	8	4,5	7,6	22	12	100
CED 100 L*	Red	DIN 46228/4	10	8	4,5	7,6	28	18	100
CET 100 S*	Brown	T.	10	8	4,5	7,6	22	12	100
CET 100 L*	Brown	T.	10	8	4,5	7,6	28	18	100
CEW 100 S*	ivory	W	10	8	4,5	7,6	22	12	100
CEW 100 L*	ivory	W	10	8	4,5	7,6	28	18	100
CED 160 S*	blue	DIN 46228/4	16	6	5,8	8,8	24	12	100
CED 160 L*	blue	DIN 46228/4	16	6	5,8	8,8	28	18	100
CET 160 S*	White	T.	16	6	5,8	8,8	24	12	100
CET 160 L*	ivory	T.	16	6	5,8	8,8	28	18	100
CEW 160 S	green	W	16	6	5,8	8,8	24	12	100
CEW 160 L	green	W	16	6	5,8	8,8	28	18	100
CED 250 S*	yellow	DIN 46228/4	25	4	7,3	11,2	30	16	50
CED 250 M*	yellow	DIN 46228/4	25	4	7,3	11,2	30	18	50
CED 250 L*	yellow	DIN 46228/4	25	4	7,3	11,2	36	22	50
CET 250 S*	black	T.	25	4	7,3	11,2	30	16	50
CET 250 M*	black	T.	25	4	7,3	11,2	30	18	50
CET 250 L*	black	T.	25	4	7,3	11,2	36	22	50
CEW 250 S*	Brown	W	25	4	7,3	11,2	30	16	50
CEW 250 M*	Brown	W	25	4	7,3	11,2	30	18	50
CEW 250 L*	Brown	W	25	4	7,3	11,2	36	22	50
CED 350 S*	Red	DIN 46228/4	35	2	8,3	12,7	30	16	50
CED 350 M*	Red	DIN 46228/4	35	2	8,3	12,7	30	18	50
CED 350 L*	Red	DIN 46228/4	35	2	8,3	12,7	39	25	50
CET 350 S*	Red	T.	35	2	8,3	12,7	30	16	50
CET 350 L*	Red	T.	35	2	8,3	12,7	39	25	50
CEW 350 S*	beige	W	35	2	8,3	12,7	30	16	50
CEW 350 M*	beige	W	35	2	8,3	12,7	30	18	50
CEW 350 L*	beige	W	35	2	8,3	12,7	39	25	50
CED 500 S*	blue	DIN 46228/4	50	1	10,3	15	36	20	50
CED 500 L*	blue	DIN 46228/4	50	1	10,3	15	40	25	50
CET 500 S*	blue	T.	50	1	10,3	15	36	20	50
CET 500 L*	blue	T.	50	1	10,3	15	40	25	50
CEW 500 S*	olive	W	50	1	10,3	15	36	20	50
CEW 500 L*	olive	W	50	1	10,3	15	40	25	50
CED 700 S	yellow	DIN 46228/4	70	2/0	13,5	16	37	21	50
CEW 700 S	yellow	W	70	2/0	13,5	16	37	21	50
CED 950 S	Red	DIN 46228/4	95	3/0	14,9	18	44	25	50
CEW 950 S	Red	W	95	3/0	14,9	18	44	25	50
CEW 1200 S	blue	W	120	4/0	16,5	20	48	27	50

ELEKTROZUBEHÖR SPA

Sede:
Via F.lli Bronzetti, 24
20129 Milano (Italy)
Tel.: +39 02 701471
C.F. e P. IVA: 00729140152
Capitale Sociale: € 260.000

Centro logistico:
Via Cadorna, 66/A
20055 Vimodrone MI

Registro imprese: n° 92394 Tribunale di Milano
R.E.A.: 460657 - INTRASTAT: IT 00729140152
Posizione Import: MI 007993





CEW 1500 S	yellow	W	150	300 MCM	19,5	23	58	32	25
------------	--------	---	-----	---------	------	----	----	----	----

* UL compliant article.

THE ITEMS FOR WHICH THE QUANTITY PER PACKAGE IS NOT SPECIFIED ARE ON REQUEST AND SUBJECT TO A MINIMUM QUANTITY AVAILABLE TO BE REQUESTED AT OUR SALES OFFICE.

Tutte le informazioni e i dati sono indicativi e possono essere soggetti a variazioni senza preavviso

ELEKTROZUBEHÖR SPA

Sede:
Via F.lli Bronzetti, 24
20129 Milano (Italy)
Tel.: +39 02 701471
C.F. e P. IVA: 00729140152
Capitale Sociale: € 260.000

Centro logistico:
Via Cadorna, 66/A
20055 Vimodrone MI

Registro imprese: n° 92394 Tribunale di Milano
R.E.A.: 460657 - INTRASTAT: IT 00729140152
Posizione Import: MI 007993

