



## SINGLE NON-INSULATED POINTS IN TINNED COPPER

Material: tinned copper.

Regulations and Certifications: they are made with dimensions in accordance with DIN 46228/1.

Features: these ferrules are made of copper and electrolytically tinned to offer the best possible protection against corrosion.

On request: they are available in other sizes and are also available in raw brass/nickel plated/tin plated.

The drawing is indicative and the proportions may not correspond to the table or real dimensions.

| ITEM        | section mm 2 | AWG section | ØA mm | ØB mm | L mm | pack pcs. |
|-------------|--------------|-------------|-------|-------|------|-----------|
| B0,25-5ET*  | 0,1 - 0,3    | 26 - 24     | 0,7   | 1,7   | 5    | 1000      |
| B0,25-7ET*  | 0,1 - 0,3    | 26 - 24     | 0,7   | 1,7   | 7    | 1000      |
| B0,34-5ET*  | 0,34         | 24          | 0,9   | 1,8   | 5    | 1000      |
| B0,34-7ET*  | 0,34         | 24          | 0,9   | 1,8   | 7    | 1000      |
| B0,5-8ET*   | 0,5          | 22 - 20     | 1     | 2,1   | 8    | 1000      |
| B0,5-12ET*  | 0,5          | 22 - 20     | 1     | 2,1   | 12   | 1000      |
| B0,5-6ET    | 0,5          | 22 - 20     | 1     | 2,1   | 6    | 1000      |
| B0,5-10ET   | 0,5          | 22 - 20     | 1     | 2,1   | 10   | 1000      |
| B0,75-8ET*  | 0,75         | 20 - 18     | 1,2   | 2,3   | 8    | 1000      |
| B0,75-20ET* | 0,75         | 20 - 18     | 1,2   | 2,3   | 20   | 1000      |
| B0,75-6ET   | 0,75         | 20 - 18     | 1,2   | 2,3   | 6    | 1000      |
| B0,75-10ET  | 0,75         | 20 - 18     | 1,2   | 2,3   | 10   | 1000      |
| B1-6ET      | 1            | 18          | 1,4   | 2,5   | 6    | 1000      |
| B1-10ET     | 1            | 18          | 1,4   | 2,5   | 10   | 1000      |
| B1-8ET*     | 1            | 18          | 1,4   | 2,5   | 8    | 1000      |
| B1-12ET*    | 1            | 18          | 1,4   | 2,5   | 12   | 1000      |
| B1-20ET*    | 1            | 18          | 1,4   | 2,5   | 20   | 1000      |
| B1,5-6ET*   | 1,5          | 16          | 1,7   | 2,8   | 6    | 1000      |
| B1,5-8ET*   | 1,5          | 16          | 1,7   | 2,8   | 8    | 1000      |
| B1,5-12ET   | 1,5          | 16          | 1,7   | 2,8   | 12   | 1000      |
| B1,5-15ET*  | 1,5          | 16          | 1,7   | 2,8   | 15   | 1000      |
| B1,5-18ET   | 1,5          | 16          | 1,7   | 2,8   | 18   | 1000      |
| B1,5-20ET*  | 1,5          | 16          | 1,7   | 2,8   | 20   | 1000      |
| B1,5-7ET    | 1,5          | 16          | 1,7   | 2,8   | 7    | 1000      |
| B1,5-10ET   | 1,5          | 16          | 1,7   | 2,8   | 10   | 1000      |
| B2,5-5ET*   | 2,5          | 14          | 2,2   | 3,4   | 5    | 1000      |
| B2,5-6ET*   | 2,5          | 14          | 2,2   | 3,4   | 6    | 1000      |
| B2,5-8ET*   | 2,5          | 14          | 2,2   | 3,4   | 8    | 1000      |
| B2,5-12ET   | 2,5          | 14          | 2,2   | 3,4   | 12   | 1000      |
| B2,5-15ET*  | 2,5          | 14          | 2,2   | 3,4   | 15   | 1000      |
| B2,5-18ET   | 2,5          | 14          | 2,2   | 3,4   | 18   | 1000      |
| B2,5-20ET*  | 2,5          | 14          | 2,2   | 3,4   | 20   | 1000      |
| B2,5-30ET*  | 2,5          | 14          | 2,2   | 3,4   | 30   | 1000      |

### ELEKTROZUBEHÖR SPA

**Sede:**  
Via F.lli Bronzetti, 24  
20129 Milano (Italy)

Tel.: +39 02 701471  
C.F. e P. IVA: 00729140152  
Capitale Sociale: € 260.000

**Centro logistico:**  
Via Cadorna, 66/A  
20055 Vimodrone MI

Registro imprese: n° 92394 Tribunale di Milano  
R.E.A.: 460657 - INTRASTAT: IT 00729140152  
Posizione Import: MI 007993





|           |     |     |      |     |    |      |
|-----------|-----|-----|------|-----|----|------|
| B2,5-7ET  | 2,5 | 14  | 2,2  | 3,4 | 7  | 1000 |
| B2,5-10ET | 2,5 | 14  | 2,2  | 3,4 | 10 | 1000 |
| B4-9ET    | 4   | 12  | 2,8  | 4   | 9  | 1000 |
| B4-12ET   | 4   | 12  | 2,8  | 4   | 12 | 1000 |
| B4-8ET*   | 4   | 12  | 2,8  | 4   | 8  | 1000 |
| B4-10ET*  | 4   | 12  | 2,8  | 4   | 10 | 1000 |
| B4-15ET   | 4   | 12  | 2,8  | 4   | 15 | 1000 |
| B4-18ET   | 4   | 12  | 2,8  | 4   | 18 | 1000 |
| B4-20ET*  | 4   | 12  | 2,8  | 4   | 20 | 1000 |
| B4-30ET*  | 4   | 12  | 2,8  | 4   | 30 | 1000 |
| B6-10ET   | 6   | 10  | 3,5  | 4,7 | 10 | 1000 |
| B6-15ET   | 6   | 10  | 3,5  | 4,7 | 15 | 1000 |
| B6-4ET*   | 6   | 10  | 3,5  | 4,7 | 4  | 1000 |
| B6-6ET*   | 6   | 10  | 3,5  | 4,7 | 6  | 1000 |
| B6-12ET   | 6   | 10  | 3,5  | 4,7 | 12 | 1000 |
| B6-18ET   | 6   | 10  | 3,5  | 4,7 | 18 | 1000 |
| B6-20ET*  | 6   | 10  | 3,5  | 4,7 | 20 | 1000 |
| B6-25ET*  | 6   | 10  | 3,5  | 4,7 | 25 | 1000 |
| B6-30ET*  | 6   | 10  | 3,5  | 4,7 | 30 | 1000 |
| B10-12ET  | 10  | 8   | 4,5  | 5,8 | 12 | 1000 |
| B10-15ET  | 10  | 8   | 4,5  | 5,8 | 15 | 1000 |
| B10-18ET  | 10  | 8   | 4,5  | 5,8 | 18 | 1000 |
| B10-16ET* | 10  | 8   | 4,5  | 5,8 | 16 | 1000 |
| B10-20ET* | 10  | 8   | 4,5  | 5,8 | 20 | 1000 |
| B10-25ET* | 10  | 8   | 4,5  | 5,8 | 25 | 1000 |
| B16-12ET  | 16  | 6   | 5,8  | 7,5 | 12 | 500  |
| B16-15ET  | 16  | 6   | 5,8  | 7,5 | 15 | 500  |
| B16-18ET  | 16  | 6   | 5,8  | 7,5 | 18 | 500  |
| B16-20ET* | 16  | 6   | 5,8  | 7,5 | 20 | 500  |
| B16-22ET* | 16  | 6   | 5,8  | 7,5 | 22 | 500  |
| B16-25ET  | 16  | 6   | 5,8  | 7,5 | 25 | 500  |
| B16-30ET* | 16  | 6   | 5,8  | 7,5 | 30 | 500  |
| B16-32ET  | 16  | 6   | 5,8  | 7,5 | 32 | 500  |
| B25-15ET  | 25  | 4   | 7,3  | 9,5 | 15 | 250  |
| B25-18ET  | 25  | 4   | 7,3  | 9,5 | 18 | 250  |
| B25-12ET* | 25  | 4   | 7,3  | 9,5 | 12 | 250  |
| B25-20ET* | 25  | 4   | 7,3  | 9,5 | 20 | 250  |
| B25-25ET  | 25  | 4   | 7,3  | 9,5 | 25 | 250  |
| B25-28ET* | 25  | 4   | 7,3  | 9,5 | 28 | 250  |
| B25-32ET  | 25  | 4   | 7,3  | 9,5 | 32 | 250  |
| B35-18ET  | 35  | 2   | 8,3  | 11  | 18 | 100  |
| B35-12ET* | 35  | 2   | 8,3  | 11  | 12 | 100  |
| B35-15ET* | 35  | 2   | 8,3  | 11  | 15 | 100  |
| B35-25ET  | 35  | 2   | 8,3  | 11  | 25 | 100  |
| B35-30ET* | 35  | 2   | 8,3  | 11  | 30 | 100  |
| B35-32ET  | 35  | 2   | 8,3  | 11  | 32 | 100  |
| B50-25ET  | 50  | 1/0 | 10,3 | 13  | 25 | 50   |
| B50-18ET  | 50  | 1/0 | 10,3 | 13  | 18 | 50   |

## ELEKTROZUBEHÖR SPA

**Sede:**  
Via F.lli Bronzetti, 24  
20129 Milano (Italy)

Tel.: +39 02 701471  
C.F. e P. IVA: 00729140152  
Capitale Sociale: € 260.000

**Centro logistico:**  
Via Cadorna, 66/A  
20055 Vimodrone MI

Registro imprese: n° 92394 Tribunale di Milano  
R.E.A.: 460657 - INTRASTAT: IT 00729140152  
Posizione Import: MI 007993





|            |     |        |      |    |    |    |
|------------|-----|--------|------|----|----|----|
| B50-20ET*  | 50  | 1/0    | 10,3 | 13 | 20 | 50 |
| B50-22ET*  | 50  | 1/0    | 10,3 | 13 | 22 | 50 |
| B50-30ET*  | 50  | 1/0    | 10,3 | 13 | 30 | 50 |
| B50-32ET   | 50  | 1/0    | 10,3 | 13 | 32 | 50 |
| B50-40ET*  | 50  | 1/0    | 10,3 | 13 | 40 | 50 |
| B70-22ET*  | 70  | 2/0    | 12,5 | 15 | 22 | 50 |
| B70-25ET*  | 70  | 2/0    | 12,5 | 15 | 25 | 50 |
| B70-32ET*  | 70  | 2/0    | 12,5 | 15 | 32 | 50 |
| B95-20ET*  | 95  | 3/0    | 14,5 | 17 | 20 | 50 |
| B95-25ET*  | 95  | 3/0    | 14,5 | 17 | 25 | 50 |
| B95-32ET*  | 95  | 3/0    | 14,5 | 17 | 32 | 50 |
| B120-32ET* | 120 | 4/0    | 16,5 | 19 | 32 | 50 |
| B150-32ET* | 150 | 250MCM | 18,5 | 21 | 32 | 50 |

\* Item with dimensions that do not comply with DIN 46228/1.

Tutte le informazioni e i dati sono indicativi e possono essere soggetti a variazioni senza preavviso

## ELEKTROZUBEHÖR SPA

**Sede:**  
Via F.lli Bronzetti, 24  
20129 Milano (Italy)

Tel.: +39 02 701471  
C.F. e P. IVA: 00729140152  
Capitale Sociale: € 260.000

**Centro logistico:**  
Via Cadorna, 66/A  
20055 Vimodrone MI

Registro imprese: n° 92394 Tribunale di Milano  
R.E.A.: 460657 - INTRASTAT: IT 00729140152  
Posizione Import: MI 007993

